



crosswater<sup>®</sup>

**Shower Enclosures, Trays & Baths**

July 2023



# The Crosswater Advantage

As bathrooms have evolved into more experiential spaces for relaxation & revitalisation, Crosswater has curated a stunning mix of colours, textures and materials across a broad range of bathroom elements, allowing you to design your own perfect bathroom space.

This is the **Crosswater advantage**.

crosswater<sup>®</sup>



## Shower Enclosures

### 10mm Enclosures

|                       |    |
|-----------------------|----|
| <b>NEW</b> GALLERY 10 | 8  |
| <b>NEW</b> OPTIX 10   | 28 |

### 8mm Enclosures

|                      |     |
|----------------------|-----|
| <b>NEW</b> GALLERY 8 | 70  |
| SVELTE 8             | 86  |
| INFINITY 8           | 94  |
| DESIGN 8             | 104 |

### 6mm Enclosures

|                    |     |
|--------------------|-----|
| <b>NEW</b> CLEAR 6 | 122 |
| KAI 6              | 144 |

## Shower Trays

### 25mm Trays

|                                  |     |
|----------------------------------|-----|
| <b>NEW</b> CREO Engineered Stone | 154 |
| <b>NEW</b> VITO Engineered Stone | 156 |

### 45mm Trays

|                                   |     |
|-----------------------------------|-----|
| Edge Waste ABS Capped Stone Resin | 158 |
|-----------------------------------|-----|

### 35mm Trays

|                   |     |
|-------------------|-----|
| Acrylic Anti Slip | 160 |
| Acrylic           | 162 |

## Bath Screens

### 10mm Bath Screens

|                     |     |
|---------------------|-----|
| <b>NEW</b> OPTIX 10 | 164 |
|---------------------|-----|

### 8mm Bath Screens

|            |     |
|------------|-----|
| SVELTE 8   | 170 |
| INFINITY 8 | 171 |
| DESIGN 8   | 173 |

### 6mm Bath Screens

|                    |     |
|--------------------|-----|
| <b>NEW</b> CLEAR 6 | 176 |
| KAI 6              | 180 |

## Baths

### Bath Wastes & Fillers

|              |     |
|--------------|-----|
| Bath Wastes  | 184 |
| Bath Fillers | 184 |

### Freestanding Baths

|      |     |
|------|-----|
| MPRO | 185 |
|------|-----|

### Back to Wall Baths

|        |     |
|--------|-----|
| ARTIST | 186 |
| SERENE | 187 |

### Single Ended Baths

|       |     |
|-------|-----|
| KAI S | 188 |
| FLOW  | 189 |

### Double Ended Baths

|       |     |
|-------|-----|
| KAI X | 190 |
| VERGE | 191 |



In contrast to many bathroom companies who specialise in a specific area, Crosswater can offer products for your whole bathroom, adding the ability to coordinate these elements using material colour linking to create a truly personal bathroom space.

More of the **Crosswater advantage**.

#### Shower Enclosures

- 8 ranges
- 7 finishes
- 3 textures

#### Shower Heads

- 14 ranges
- 15 finishes
- 7 textures

#### Shower Valves

- 19 ranges
- 15 finishes
- 7 textures

#### Shower Trays

- 5 ranges
- 3 tray depths
- 4 textures

### Mirrors & Cabinets

- 10 ranges
- 6 shapes

### Lights

- 3 ranges
- 6 finishes
- 3 shapes

### Basin Taps

- 24 ranges
- 15 finishes
- 7 textures

### Basins & Worktops

- 36 ranges
- 21 finishes
- 7 textures

### Furniture

- 12 ranges
- 17 finishes
- 8 textures

### Accessories

- 7 ranges
- 9 finishes
- 6 textures


### Toilets

- 4 ranges
- 2 finishes



# What's Your Style?


Whatever your style preference, Crosswater offers a wide range of shower enclosures, bath screens and shower trays with complementary brassware, ceramics, furniture and accessories to help you create your own perfect bathroom space.



**GALLERY 10**  
Walk ins p. 8



**OPTIX 10**  
Shower enclosures p. 28



**GALLERY 8**  
Walk ins p. 70



**SVELTE 8**  
Shower enclosures & walk ins p. 86



**INFINITY 8**  
Shower enclosures & walk ins p. 94



**DESIGN 8**  
Shower enclosures & walk ins p. 104





**CLEAR 6**  
Shower enclosures p. 122



**KAI 6**  
Shower enclosures p. 144



**SHOWER TRAYS**  
25mm, 35mm & 45mm p. 154



**OPTIX 10**  
Bath screens p. 164



**SVELTE 8**  
Bath screens p. 170



**INFINITY 8**  
Bath screens p. 171



**DESIGN 8**  
Bath screens p. 173



**CLEAR 6**  
Bath screens p. 176



**KAI 6**  
Bath screens p. 180





Crosswater Clear Treated Glass




Untreated Glass

# The Ultimate Glass Protection




## Supplied as standard.

Crosswater Clear is a colourless surface treatment applied to all shower and bath panels. The coating is perfectly flat and invisible and works by creating a surface that helps prevent limescale, soap/shampoo build-up, easier to clean and sparkling glass every day.



### Untreated Glass

Untreated glass can quickly and easily suffer permanent bonding of limescale and mineral salts onto its surface, which can cause staining and damage, with water spots being difficult, if not impossible, to remove despite regular cleaning.



### Crosswater Clear Treated Glass

Helping to prevent build up and making the glass easier to clean, Crosswater Clear allows soils and liquids to 'slide off' the treated surface which prevents limescale and other dirt from building up to make cleaning a quicker and easier process.











# GALLERY 10

Expertly curated, our luxury GALLERY 10 collection offers 10mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 10 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## BRUSHED BRONZE

Walk In p 16

## SLATE

Walk In p 18

## BRUSHED BRASS

Walk In p 20

## BRUSHED STAINLESS STEEL

Walk In p 22

## POLISHED STAINLESS STEEL

Walk In p 24

## MATT BLACK

Walk In p 26





# GALLERY 10

## Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar








# GALLERY 10 Configurations


Once you have identified your space you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

*When choosing your configuration, we recommend you allow 500mm minimum entry space.*




## Recess

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




## Recess with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




## Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Bracing Bars (Wall, Ceiling or Angled)




## Open Ended

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




## Open Ended with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




## Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar




## Corner with T Bracing Bar & Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar
- 1 x Hinged or Fixed Deflector




## Corner

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall, Ceiling or Angled)




## Corner with Deflector

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




## Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars




## Walk Through with Deflectors

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars
- 2 x Hinged or Fixed Deflectors




## Glass Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal




#### Glass Corner with Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector




#### Glass Corner with Angled Bracing Bar

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal




#### Glass Corner with Deflector

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector



#### Three Sided

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal




#### Three Sided with Deflector

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector

### Deflectors

If you've decided to opt for a configuration with a deflector we have 2 options to choose from - 180° hinged or fixed. Each type requires different fittings, details of these are listed below.


*We wouldn't recommend installing a deflector panel if you have chosen a glass to ceiling bracing bar.*



#### 180° Hinged Deflector Panel

Available in 300mm, our hinged panel rotates through 180° for easier access. The colour matching hinges and clear seal give your walk in a seamless appearance.

- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



#### Fixed Deflector Panel

Available in 300mm or 400mm, for spaces where you prefer the panel not to move. The colour matching glass to glass brackets and clear seal give a luxury appearance.

- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

#### Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist.

For further installation information or to find your local retailer visit [crosswater.co.uk](http://crosswater.co.uk)

## GALLERY 10 Personalising Your Space

### Consider Your Stabilising Fixings

To enable you to create your personalised showering space we have a range of stabilising fixings available. In all cases you should ensure a secure fixing. We do not recommend fixing to plasterboard alone, please consult your local installer for guidance.



**Glass to Wall Bracing Bar**

1200mm long. Can support panels up to 1400mm.



**Glass to Ceiling Bracing Bar**

600mm long. Can support panels up to 1000mm.



**Angled Glass to Wall Bracing Bar**

941mm long. Can support panels up to 1000mm.



**T Bracing Bar**

1200 x 1200mm. Can support panels up to 1000mm.



**Wall Profile with 15mm Adjustment**

Can support panels up to 500mm without a bracing bar.



**Glass to Glass Corner Seal**

For joining two fixed glass panels.


### Not sure what you need?

Depending on the configuration you select you may need to use a combination of stabilising fixings. If you need further guidance please visit [crosswater.co.uk](http://crosswater.co.uk) or speak to your local installer.



## Reduce Splashing

Add on a 180° hinged or fixed deflector panel to create a personalised shower space with extra splash protection; giving the pleasure and luxury appearance of a walk-in shower in even the most modest of bathroom spaces.



### 180° Hinged Deflector Panels

Just as they sound a hinged deflector panel allows the glass to move, enabling greater access to the shower area then protect against over-spray when the water is running.

### Fixed Deflector Panels

Fixed deflector panels offer the same design flexibility particularly in smaller spaces. These can be installed using our glass to glass brackets and a glass panel up to 400mm.

## Choose Your Perfect Shower Base

Our Gallery 10 Walk In collection can be installed with a shower tray or in a full wet room for full design freedom.



Shower tray



Wet room

## Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom. For our full range please visit [crosswater.co.uk](https://www.crosswater.co.uk)



Shower Heads



Shower Valves

**NEW**



1700 x 800mm Corner with T Bracing Bar

# GALLERY 10 Brushed Bronze

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code       | Price           |
|------------------------|--------|------------|------------|-----------------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEZ | £360 <b>NEW</b> |

## Stabilising Fixings

| Part                         | Size          | Code           | Price           |
|------------------------------|---------------|----------------|-----------------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEBZ      | £205 <b>NEW</b> |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEBZ     | £350 <b>NEW</b> |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEBZ  | £175 <b>NEW</b> |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEBZ | £235 <b>NEW</b> |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10  | £20             |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code         | Price           |
|------------------------------------|-------|--------------|-----------------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEBZ | £285 <b>NEW</b> |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300  | £160            |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price           |
|--------------------------------|--------|--------------|-----------------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165            |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190            |
| Glass to Glass Brackets (Pair) | -      | GRBRACKBZ    | £150 <b>NEW</b> |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20             |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part              | Size        | Code          | Price |
|-------------------|-------------|---------------|-------|
| Glass Bottom Seal | 1400 x 10mm | GRSEAL1400X10 | £10   |

Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind





**NEW**



1200 x 900mm Corner with Glass to Ceiling Bracing Bar



# GALLERY 10 Slate

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code       | Price           |
|------------------------|--------|------------|------------|-----------------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILET | £360 <b>NEW</b> |

## Stabilising Fixings

| Part                         | Size          | Code          | Price           |
|------------------------------|---------------|---------------|-----------------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACET      | £205 <b>NEW</b> |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACET     | £350 <b>NEW</b> |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACET  | £175 <b>NEW</b> |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACET | £235 <b>NEW</b> |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20             |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price           |
|------------------------------------|-------|-------------|-----------------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGET | £285 <b>NEW</b> |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160            |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price           |
|--------------------------------|--------|--------------|-----------------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165            |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190            |
| Glass to Glass Brackets (Pair) | -      | GRBRACKET    | £150 <b>NEW</b> |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20             |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part              | Size        | Code          | Price |
|-------------------|-------------|---------------|-------|
| Glass Bottom Seal | 1400 x 10mm | GRSEAL1400X10 | £10   |

Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind





1400 x 800mm Walk Through with Fixed Deflector Panels

# GALLERY 10 Brushed Brass

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code       | Price |
|------------------------|--------|------------|------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEF | £360  |

## Stabilising Fixings

| Part                         | Size          | Code          | Price |
|------------------------------|---------------|---------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEF      | £205  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEF     | £350  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEF  | £175  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEF | £235  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20   |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price |
|------------------------------------|-------|-------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEF | £285  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160  |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165  |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKF     | £150  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part              | Size        | Code          | Price |
|-------------------|-------------|---------------|-------|
| Glass Bottom Seal | 1400 x 10mm | GRSEAL1400X10 | £10   |

Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration



1400 x 800mm Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind





1700 x 800mm Corner with T Bracing Bar



# GALLERY 10 Brushed Stainless Steel

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code       | Price |
|------------------------|--------|------------|------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEV | £360  |

## Stabilising Fixings

| Part                         | Size          | Code          | Price |
|------------------------------|---------------|---------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEV      | £205  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEV     | £350  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEV  | £175  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEV | £235  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20   |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price |
|------------------------------------|-------|-------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEV | £285  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160  |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165  |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKV     | £150  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part              | Size        | Code          | Price |
|-------------------|-------------|---------------|-------|
| Glass Bottom Seal | 1400 x 10mm | GRSEAL1400X10 | £10   |

Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration



1700 x 800mm Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind



1200 x 800mm Recess with Glass to Wall Bracing Bar and Hinged Deflector Panel

# GALLERY 10 Polished Stainless Steel

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code         | Price |
|------------------------|--------|------------|--------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEPSS | £225  |

## Stabilising Fixings

| Part                         | Size          | Code            | Price |
|------------------------------|---------------|-----------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEPSS      | £125  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEPSS     | £220  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEPSS  | £115  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEPSS | £140  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10   | £20   |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code          | Price |
|------------------------------------|-------|---------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEPSS | £215  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300   | £160  |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165  |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKPSS   | £115  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part                       | Size        | Code          | Price |
|----------------------------|-------------|---------------|-------|
| Glass Bottom Seal**        | 1400 x 10mm | GRSEAL1400X10 | £10   |
| Squeegee with Wall Bracket | -           | SHSQUEEGCP    | £45   |

\*\*Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration



1200 x 800mm Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind





1400 x 900mm Glass Corner with T Bracing Bar



# GALLERY 10 Matt Black

## Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030010CF+ | £165  |
| 355mm  | GR040010CF+ | £190  |
| 455mm  | GR050010CF+ | £230  |
| 555mm  | GR060010CF+ | £255  |
| 655mm  | GR070010CF+ | £295  |
| 715mm  | GR076010CF+ | £315  |
| 755mm  | GR080010CF+ | £325  |
| 855mm  | GR090010CF+ | £360  |
| 955mm  | GR100010CF+ | £390  |
| 1055mm | GR110010CF+ | £425  |
| 1155mm | GR120010CF+ | £455  |
| 1355mm | GR140010CF+ | £490  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

## Wall Profile

| Part                   | Size   | Adjustment | Code        | Price |
|------------------------|--------|------------|-------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEMB | £225  |

## Stabilising Fixings

| Part                         | Size          | Code           | Price |
|------------------------------|---------------|----------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEMB      | £130  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEMB     | £220  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEMB  | £120  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEMB | £150  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10  | £20   |

## Hinged Deflector Panel Fittings

| Part                               | Size  | Code         | Price |
|------------------------------------|-------|--------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEMB | £215  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300  | £160  |

## Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030010CF+  | £165  |
| Fixed Deflector Glass          | 400mm  | GR040010CF+  | £190  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKMB    | £115  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

## Optional Fittings

| Part              | Size        | Code          | Price |
|-------------------|-------------|---------------|-------|
| Glass Bottom Seal | 1400 x 10mm | GRSEAL1400X10 | £10   |

Must be cut to length on installation

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration



1400 x 900mm Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind





# OPTIX 10

Enhancing luxury within modern and traditional settings, our OPTIX 10 shower enclosures feature 10mm toughened glass for remarkable quality and unparalleled performance. Available in five enclosure types and striking colours, combine function and style effortlessly within your dream bathroom scheme.

The OPTIX 10 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## BRUSHED BRONZE

Sliding Doors p 32

Pivot Doors p 34

Quadrant Enclosures p 38

## SLATE

Sliding Doors p 40

Pivot Doors p 42

Quadrant Enclosures p 46

## BRUSHED BRASS

Sliding Doors p 48

Pivot Doors p 50

Quadrant Enclosures p 54

## BRUSHED STAINLESS STEEL

Sliding Doors p 56

Pivot Doors p 58

Quadrant Enclosures p 62

## POLISHED STAINLESS STEEL

Sliding Doors p 64

Pivot Doors p 66



# OPTIX 10

## Product Highlights

1. Wall profiles include concealed fixings, squeeze gasket seals for quick in profile adjustment and a top cover cap
2. Ultra-strong 304 grade stainless steel bracing bars finished to match for pivot doors with inline panels
3. Pivot doors with inline panels feature on glass adjustment and flush-fit solid brass hinges for easy cleaning
4. Sliding doors and quadrant enclosures feature soft close, cushioned movement on open and close
5. Concealed, fully adjustable top slider system for smooth soft closing
6. Beautifully designed 304 grade stainless steel double handle for easy opening and closing from inside or out
7. Flush-fit pivot door with inline panel solid brass hinge for easy cleaning and angled no-drip seal
8. Adjustable, self cleaning rollers feature a concealed brush to ensure the smoothest open/close sliding door







**NEW**



1400 x 800mm Single Sliding Door with Side Panel

Door Opening

# OPTIX 10 Single Sliding Door

BRUSHED BRONZE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code               | Price            |
|--------|--------------|-------------------------|--------------------|------------------|
| 1200mm | 476          | 1155-1185 (1170-1185**) | <b>OXSLBZC1200</b> | £1930 <b>NEW</b> |
| 1400mm | 576          | 1355-1385 (1370-1385**) | <b>OXSLBZC1400</b> | £2065 <b>NEW</b> |
| 1500mm | 626          | 1455-1485 (1470-1485**) | <b>OXSLBZC1500</b> | £2125 <b>NEW</b> |
| 1700mm | 626          | 1655-1685 (1670-1685**) | <b>OXSLBZC1700</b> | £2390 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel.*


## Side Panel

| Width | Adjustment | Code                 | Price           |
|-------|------------|----------------------|-----------------|
| 800mm | 765-790    | <b>OXSLSPBZC0800</b> | £795 <b>NEW</b> |
| 900mm | 865-890    | <b>OXSLSPBZC0900</b> | £895 <b>NEW</b> |

*Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code             | Price           |
|----------------|------------------|-----------------|
| Knurled Handle | <b>OXKNURLBZ</b> | £135 <b>NEW</b> |



## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 157  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%



**NEW**



Door Opening

900 x 900mm Pivot Door with Side Panel



# OPTIX 10 Pivot Door

BRUSHED BRONZE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code               | Price            |
|-------|--------------|---------------------|--------------------|------------------|
| 800mm | 600          | 760-785 (770-795**) | <b>OXWPBZC0800</b> | £1430 <b>NEW</b> |
| 900mm | 800          | 860-885 (870-895**) | <b>OXWPBZC0900</b> | £1455 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*


## Side Panel

| Width | Adjustment | Code                | Price           |
|-------|------------|---------------------|-----------------|
| 800mm | 770-795    | <b>OXWSPBZC0800</b> | £865 <b>NEW</b> |
| 900mm | 870-895    | <b>OXWSPBZC0900</b> | £925 <b>NEW</b> |

*Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code             | Price           |
|----------------|------------------|-----------------|
| Knurled Handle | <b>OXKNURLBZ</b> | £135 <b>NEW</b> |



Knurling

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 157  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%



**NEW**



1200 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

# OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRONZE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code                | Price            |
|--------|--------------|-------------------------|---------------------|------------------|
| 1000mm | 600          | 960-985 (970-995**)     | <b>OXPD BZC1000</b> | £1985 <b>NEW</b> |
| 1200mm | 650          | 1160-1185 (1170-1195**) | <b>OXPD BZC1200</b> | £2050 <b>NEW</b> |
| 1400mm | 650          | 1360-1385 (1370-1395**) | <b>OXPD BZC1400</b> | £2125 <b>NEW</b> |

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel


## Side Panel

| Width | Adjustment | Code                  | Price           |
|-------|------------|-----------------------|-----------------|
| 800mm | 775-795    | <b>OXPD SPBZC0800</b> | £795 <b>NEW</b> |
| 900mm | 875-895    | <b>OXPD SPBZC0900</b> | £835 <b>NEW</b> |

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

## Optional Upgrades

| Part           | Code             | Price           |
|----------------|------------------|-----------------|
| Knurled Handle | <b>OXKNURLBZ</b> | £135 <b>NEW</b> |



Knurling

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 157  |

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration


All prices include VAT at 20%



**NEW**



Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door



# OPTIX 10 Quadrant Enclosures

BRUSHED BRONZE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width     | Door Opening | Adjustment | Code          | Price            |
|-----------|--------------|------------|---------------|------------------|
| 900mm (R) | 446          | 870-890    | OXQSBZC0900_R | £2490 <b>NEW</b> |
| 900mm (L) | 446          | 870-890    | OXQSBZC0900_L | £2490 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Recommended Tray

| Size       | Code        | Price | Page |
|------------|-------------|-------|------|
| 900mm Quad | CRQ900X900W | £270  | 155  |
| 900mm Quad | CRQ900X900W | £270  | 155  |

## Offset Quadrant Single Door

| Width            | Door Opening | Adjustment        | Code          | Price            |
|------------------|--------------|-------------------|---------------|------------------|
| 1000 x 800mm (R) | 403          | 770-790/960-980   | OXQSBZC10X8_R | £2625 <b>NEW</b> |
| 1000 x 800mm (L) | 403          | 770-790/960-980   | OXQSBZC10X8_L | £2625 <b>NEW</b> |
| 1200 x 800mm (R) | 403          | 770-790/1170-1190 | OXQSBZC12X8_R | £2850 <b>NEW</b> |
| 1200 x 800mm (L) | 403          | 770-790/1170-1190 | OXQSBZC12X8_L | £2850 <b>NEW</b> |
| 1200 x 900mm (R) | 446          | 870-890/1170-1190 | OXQSBZC12X9_R | £2985 <b>NEW</b> |
| 1200 x 900mm (L) | 446          | 870-890/1170-1190 | OXQSBZC12X9_L | £2985 <b>NEW</b> |


*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Recommended Tray

| Size             | Code           | Price |
|------------------|----------------|-------|
| 800 x 1000mm (R) | CRQ800X1000RHW | £390  |
| 800 x 1000mm (L) | CRQ800X1000LHW | £390  |
| 800 x 1200mm (R) | CRQ800X1200RHW | £410  |
| 800 x 1200mm (L) | CRQ800X1200LHW | £410  |
| 900 x 1200mm (R) | CRQ900X1200RHW | £470  |
| 900 x 1200mm (L) | CRQ900X1200LHW | £470  |

## Optional Upgrades

| Part           | Code      | Price           |
|----------------|-----------|-----------------|
| Knurled Handle | OXKNURLBZ | £135 <b>NEW</b> |



Knurling


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%



NEW



1400 x 800mm Single Sliding Door with Side Panel

Door Opening

# OPTIX 10 Single Sliding Door

SLATE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code              | Price            |
|--------|--------------|-------------------------|-------------------|------------------|
| 1200mm | 476          | 1155-1185 (1170-1185**) | <b>OXSLTC1200</b> | £1930 <b>NEW</b> |
| 1400mm | 576          | 1355-1385 (1370-1385**) | <b>OXSLTC1400</b> | £2065 <b>NEW</b> |
| 1500mm | 626          | 1455-1485 (1470-1485**) | <b>OXSLTC1500</b> | £2125 <b>NEW</b> |
| 1700mm | 626          | 1655-1685 (1670-1685**) | <b>OXSLTC1700</b> | £2390 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel.*

## Side Panel

| Width | Adjustment | Code                | Price           |
|-------|------------|---------------------|-----------------|
| 800mm | 765-790    | <b>OXSLSPTC0800</b> | £795 <b>NEW</b> |
| 900mm | 865-890    | <b>OXSLSPTC0900</b> | £895 <b>NEW</b> |

*Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.*


## Optional Upgrades

| Part           | Code            | Price           |
|----------------|-----------------|-----------------|
| Knurled Handle | <b>OXKNURLT</b> | £135 <b>NEW</b> |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 157  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*



Knurling

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration


All prices include VAT at 20%



**NEW**



900 x 900mm Pivot Door with Side Panel



Door Opening



# OPTIX 10 Pivot Door

SLATE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code              | Price            |
|-------|--------------|---------------------|-------------------|------------------|
| 800mm | 600          | 760-785 (770-795**) | <b>OXWPTC0800</b> | £1430 <b>NEW</b> |
| 900mm | 800          | 860-885 (870-895**) | <b>OXWPTC0900</b> | £1455 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*


## Side Panel

| Width | Adjustment | Code                | Price           |
|-------|------------|---------------------|-----------------|
| 800mm | 770-795    | <b>OXWPSPTC0800</b> | £865 <b>NEW</b> |
| 900mm | 870-895    | <b>OXWPSPTC0900</b> | £925 <b>NEW</b> |

*Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code            | Price           |
|----------------|-----------------|-----------------|
| Knurled Handle | <b>OXKNURLT</b> | £135 <b>NEW</b> |



## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%



**NEW**



1200 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

# OPTIX 10 Pivot Door with Inline Panel

SLATE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code       | Price            |
|--------|--------------|-------------------------|------------|------------------|
| 1000mm | 600          | 960-985 (970-995**)     | OXPDTC1000 | £1985 <b>NEW</b> |
| 1200mm | 650          | 1160-1185 (1170-1195**) | OXPDTC1200 | £2050 <b>NEW</b> |
| 1400mm | 650          | 1360-1385 (1370-1395**) | OXPDTC1400 | £2125 <b>NEW</b> |

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel


## Side Panel

| Width | Adjustment | Code         | Price           |
|-------|------------|--------------|-----------------|
| 800mm | 775-795    | OXPDSPTC0800 | £795 <b>NEW</b> |
| 900mm | 875-895    | OXPDSPTC0900 | £835 <b>NEW</b> |

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

## Optional Upgrades

| Part           | Code     | Price           |
|----------------|----------|-----------------|
| Knurled Handle | OXKNURLT | £135 <b>NEW</b> |



## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 157  |

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration


All prices include VAT at 20%



**NEW**



Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door



# OPTIX 10 Quadrant Enclosures

SLATE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width     | Door Opening | Adjustment | Code                 | Price            |
|-----------|--------------|------------|----------------------|------------------|
| 900mm (R) | 446          | 870-890    | <b>OXQSSTC0900_R</b> | £2490 <b>NEW</b> |
| 900mm (L) | 446          | 870-890    | <b>OXQSSTC0900_L</b> | £2490 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Offset Quadrant Single Door

| Width            | Door Opening | Adjustment        | Code                 | Price            |
|------------------|--------------|-------------------|----------------------|------------------|
| 1000 x 800mm (R) | 403          | 770-790/960-980   | <b>OXQSSTC10X8_R</b> | £2625 <b>NEW</b> |
| 1000 x 800mm (L) | 403          | 770-790/960-980   | <b>OXQSSTC10X8_L</b> | £2625 <b>NEW</b> |
| 1200 x 800mm (R) | 403          | 770-790/1170-1190 | <b>OXQSSTC12X8_R</b> | £2850 <b>NEW</b> |
| 1200 x 800mm (L) | 403          | 770-790/1170-1190 | <b>OXQSSTC12X8_L</b> | £2850 <b>NEW</b> |
| 1200 x 900mm (R) | 446          | 870-890/1170-1190 | <b>OXQSSTC12X9_R</b> | £2985 <b>NEW</b> |
| 1200 x 900mm (L) | 446          | 870-890/1170-1190 | <b>OXQSSTC12X9_L</b> | £2985 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Optional Upgrades


| Part           | Code            | Price           |
|----------------|-----------------|-----------------|
| Knurled Handle | <b>OXKNURLT</b> | £135 <b>NEW</b> |

## Recommended Tray

| Size       | Code        | Price | Page |
|------------|-------------|-------|------|
| 900mm Quad | CRQ900X900W | £270  | 155  |
| 900mm Quad | CRQ900X900W | £270  | 155  |

## Recommended Tray

| Size             | Code           | Price |
|------------------|----------------|-------|
| 800 x 1000mm (R) | CRQ800X1000RHW | £390  |
| 800 x 1000mm (L) | CRQ800X1000LHW | £390  |
| 800 x 1200mm (R) | CRQ800X1200RHW | £410  |
| 800 x 1200mm (L) | CRQ800X1200LHW | £410  |
| 900 x 1200mm (R) | CRQ900X1200RHW | £470  |
| 900 x 1200mm (L) | CRQ900X1200LHW | £470  |



Knurling

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*


\*Subject to online registration

All prices include VAT at 20%





1500 x 800mm Single Sliding Door with Side Panel



Door Opening

# OPTIX 10 Single Sliding Door

BRUSHED BRASS



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code              | Price |
|--------|--------------|-------------------------|-------------------|-------|
| 1200mm | 476          | 1155-1185 (1170-1185**) | <b>OXSLFC1200</b> | £1930 |
| 1400mm | 576          | 1355-1385 (1370-1385**) | <b>OXSLFC1400</b> | £2065 |
| 1500mm | 626          | 1455-1485 (1470-1485**) | <b>OXSLFC1500</b> | £2125 |
| 1700mm | 626          | 1655-1685 (1670-1685**) | <b>OXSLFC1700</b> | £2390 |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel.*

## Side Panel

| Width | Adjustment | Code                | Price |
|-------|------------|---------------------|-------|
| 800mm | 765-790    | <b>OXSLSPFC0800</b> | £795  |
| 900mm | 865-890    | <b>OXSLSPFC0900</b> | £895  |

*Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code            | Price |
|----------------|-----------------|-------|
| Knurled Handle | <b>OXKNURLF</b> | £135  |



Knurling

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%



900 x 900mm Pivot Door with Side Panel



Door Opening



# OPTIX 10 Pivot Door

BRUSHED BRASS



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code              | Price |
|-------|--------------|---------------------|-------------------|-------|
| 800mm | 600          | 760-785 (770-795**) | <b>OXWPFC0800</b> | £1430 |
| 900mm | 800          | 860-885 (870-895**) | <b>OXWPFC0900</b> | £1455 |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*

## Side Panel

| Width | Adjustment | Code               | Price |
|-------|------------|--------------------|-------|
| 800mm | 770-795    | <b>OXWSPFC0800</b> | £865  |
| 900mm | 870-895    | <b>OXWSPFC0900</b> | £925  |

*Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code            | Price |
|----------------|-----------------|-------|
| Knurled Handle | <b>OXKNURLF</b> | £135  |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*




Knurling

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%





1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

# OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRASS



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code       | Price |
|--------|--------------|-------------------------|------------|-------|
| 800mm  | 500          | 760-785 (770-795**)     | OXPDFC0800 | £1725 |
| 900mm  | 500          | 860-885 (870-895**)     | OXPDFC0900 | £1760 |
| 1000mm | 600          | 960-985 (970-995**)     | OXPDFC1000 | £1985 |
| 1200mm | 650          | 1160-1185 (1170-1195**) | OXPDFC1200 | £2050 |
| 1400mm | 650          | 1360-1385 (1370-1395**) | OXPDFC1400 | £2125 |

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code         | Price |
|-------|------------|--------------|-------|
| 800mm | 775-795    | OXPDSPFC0800 | £795  |
| 900mm | 875-895    | OXPDSPFC0900 | £835  |

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

## Optional Upgrades

| Part           | Code     | Price |
|----------------|----------|-------|
| Knurled Handle | OXKNURLF | £135  |



Knurling

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |


This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


\*Subject to online registration

All prices include VAT at 20%

NEW



Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door



# OPTIX 10 Quadrant Enclosures

BRUSHED BRASS



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width     | Door Opening | Adjustment | Code                 | Price            |
|-----------|--------------|------------|----------------------|------------------|
| 900mm (R) | 446          | 870-890    | <b>OXQSBZC0900_R</b> | £2490 <b>NEW</b> |
| 900mm (L) | 446          | 870-890    | <b>OXQSBZC0900_L</b> | £2490 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Recommended Tray

| Size       | Code        | Price | Page |
|------------|-------------|-------|------|
| 900mm Quad | CRQ900X900W | £270  | 155  |
| 900mm Quad | CRQ900X900W | £270  | 155  |

## Offset Quadrant Single Door

| Width            | Door Opening | Adjustment        | Code                 | Price            |
|------------------|--------------|-------------------|----------------------|------------------|
| 1000 x 800mm (R) | 403          | 770-790/960-980   | <b>OXQSBZC10X8_R</b> | £2625 <b>NEW</b> |
| 1000 x 800mm (L) | 403          | 770-790/960-980   | <b>OXQSBZC10X8_L</b> | £2625 <b>NEW</b> |
| 1200 x 800mm (R) | 403          | 770-790/1170-1190 | <b>OXQSBZC12X8_R</b> | £2850 <b>NEW</b> |
| 1200 x 800mm (L) | 403          | 770-790/1170-1190 | <b>OXQSBZC12X8_L</b> | £2850 <b>NEW</b> |
| 1200 x 900mm (R) | 446          | 870-890/1170-1190 | <b>OXQSBZC12X9_R</b> | £2985 <b>NEW</b> |
| 1200 x 900mm (L) | 446          | 870-890/1170-1190 | <b>OXQSBZC12X9_L</b> | £2985 <b>NEW</b> |


*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Recommended Tray

| Size             | Code           | Price |
|------------------|----------------|-------|
| 800 x 1000mm (R) | CRQ800X1000RHW | £390  |
| 800 x 1000mm (L) | CRQ800X1000LHW | £390  |
| 800 x 1200mm (R) | CRQ800X1200RHW | £410  |
| 800 x 1200mm (L) | CRQ800X1200LHW | £410  |
| 900 x 1200mm (R) | CRQ900X1200RHW | £470  |
| 900 x 1200mm (L) | CRQ900X1200LHW | £470  |

## Optional Upgrades

| Part           | Code            | Price |
|----------------|-----------------|-------|
| Knurled Handle | <b>OXKNURLF</b> | £135  |




Knurling

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%





1500 x 800mm Single Sliding Door with Side Panel

Door Opening

# OPTIX 10 Single Sliding Door

BRUSHED STAINLESS STEEL



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code              | Price |
|--------|--------------|-------------------------|-------------------|-------|
| 1200mm | 476          | 1155-1185 (1170-1185**) | <b>OXSLVC1200</b> | £1930 |
| 1400mm | 576          | 1355-1385 (1370-1385**) | <b>OXSLVC1400</b> | £2065 |
| 1500mm | 626          | 1455-1485 (1470-1485**) | <b>OXSLVC1500</b> | £2125 |
| 1700mm | 626          | 1655-1685 (1670-1685**) | <b>OXSLVC1700</b> | £2390 |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*

## Side Panel

| Width | Adjustment | Code               | Price |
|-------|------------|--------------------|-------|
| 800mm | 765-790    | <b>OXSLPVC0800</b> | £795  |
| 900mm | 865-890    | <b>OXSLPVC0900</b> | £895  |

*Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code            | Price |
|----------------|-----------------|-------|
| Knurled Handle | <b>OXKNURLV</b> | £135  |



Knurling

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |


*This enclosure requires a shower tray with a minimum ledge of 60mm*

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%





Door Opening

900 x 900mm Pivot Door with Side Panel



# OPTIX 10 Pivot Door

BRUSHED STAINLESS STEEL



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code              | Price |
|-------|--------------|---------------------|-------------------|-------|
| 800mm | 600          | 760-785 (770-795**) | <b>OXWPVC0800</b> | £1430 |
| 900mm | 800          | 860-885 (870-895**) | <b>OXWPVC0900</b> | £1455 |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*

## Side Panel

| Width | Adjustment | Code               | Price |
|-------|------------|--------------------|-------|
| 800mm | 770-795    | <b>OXWSPVC0800</b> | £865  |
| 900mm | 870-895    | <b>OXWSPVC0900</b> | £925  |

*Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.*

## Optional Upgrades

| Part           | Code            | Price |
|----------------|-----------------|-------|
| Knurled Handle | <b>OXKNURLV</b> | £135  |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*




Knurling

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%





1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

# OPTIX 10 Pivot Door with Inline Panel

BRUSHED STAINLESS STEEL



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code       | Price |
|--------|--------------|-------------------------|------------|-------|
| 800mm  | 500          | 760-785 (770-795**)     | OXPDVC0800 | £1725 |
| 900mm  | 500          | 860-885 (870-895**)     | OXPDVC0900 | £1760 |
| 1000mm | 600          | 960-985 (970-995**)     | OXPDVC1000 | £1985 |
| 1200mm | 650          | 1160-1185 (1170-1195**) | OXPDVC1200 | £2050 |
| 1400mm | 650          | 1360-1385 (1370-1395**) | OXPDVC1400 | £2125 |

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code         | Price |
|-------|------------|--------------|-------|
| 800mm | 775-795    | OXPDSPVC0800 | £795  |
| 900mm | 875-895    | OXPDSPVC0900 | £835  |

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

## Optional Upgrades

| Part           | Code     | Price |
|----------------|----------|-------|
| Knurled Handle | OXKNURLV | £135  |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

This enclosure requires a shower tray with a minimum ledge of 60mm



Knurling


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration


All prices include VAT at 20%



**NEW**



Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door



# OPTIX 10 Quadrant Single Door

BRUSHED STAINLESS STEEL



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width     | Door Opening | Adjustment | Code         | Price            |
|-----------|--------------|------------|--------------|------------------|
| 900mm (R) | 454          | 870-890    | OXQSVC0900_R | £2490 <b>NEW</b> |
| 900mm (L) | 454          | 870-890    | OXQSVC0900_L | £2490 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Offset Quadrant Single Door

| Width            | Door Opening | Adjustment        | Code          | Price            |
|------------------|--------------|-------------------|---------------|------------------|
| 1000 x 800mm (R) | 403          | 770-790/960-980   | OXQSBZC10X8_R | £2625 <b>NEW</b> |
| 1000 x 800mm (L) | 403          | 770-790/960-980   | OXQSBZC10X8_L | £2625 <b>NEW</b> |
| 1200 x 800mm (R) | 403          | 770-790/1170-1190 | OXQSBZC12X8_R | £2850 <b>NEW</b> |
| 1200 x 800mm (L) | 403          | 770-790/1170-1190 | OXQSBZC12X8_L | £2850 <b>NEW</b> |
| 1200 x 900mm (R) | 446          | 870-890/1170-1190 | OXQSBZC12X9_R | £2985 <b>NEW</b> |
| 1200 x 900mm (L) | 446          | 870-890/1170-1190 | OXQSBZC12X9_L | £2985 <b>NEW</b> |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Optional Upgrades

| Part           | Code     | Price |
|----------------|----------|-------|
| Knurled Handle | OXKNURLV | £135  |

## Recommended Tray

| Size       | Code        | Price | Page |
|------------|-------------|-------|------|
| 900mm Quad | CRQ900X900W | £270  | 155  |
| 900mm Quad | CRQ900X900W | £270  | 155  |

## Recommended Tray

| Size             | Code           | Price |
|------------------|----------------|-------|
| 800 x 1000mm (R) | CRQ800X1000RHW | £390  |
| 800 x 1000mm (L) | CRQ800X1000LHW | £390  |
| 800 x 1200mm (R) | CRQ800X1200RHW | £410  |
| 800 x 1200mm (L) | CRQ800X1200LHW | £410  |
| 900 x 1200mm (R) | CRQ900X1200RHW | £470  |
| 900 x 1200mm (L) | CRQ900X1200LHW | £470  |



*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%

63





1500 x 800mm Single Sliding Door with Side Panel

Door Opening

# OPTIX 10 Single Sliding Door

POLISHED STAINLESS STEEL



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code              | Price |
|--------|--------------|-------------------------|-------------------|-------|
| 1200mm | 476          | 1155-1185 (1170-1185**) | <b>OXSLSC1200</b> | £1475 |
| 1400mm | 576          | 1355-1385 (1370-1385**) | <b>OXSLSC1400</b> | £1560 |
| 1500mm | 626          | 1455-1485 (1470-1485**) | <b>OXSLSC1500</b> | £1635 |
| 1700mm | 626          | 1655-1685 (1670-1685**) | <b>OXSLSC1700</b> | £1745 |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*

## Side Panel

| Width | Adjustment | Code               | Price |
|-------|------------|--------------------|-------|
| 800mm | 765-790    | <b>OXSLPSC0800</b> | £625  |
| 900mm | 865-890    | <b>OXSLPSC0900</b> | £645  |

*Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.*

## Optional Upgrades

| Part                       | Code               | Price |
|----------------------------|--------------------|-------|
| Knurled Handle             | <b>OXKNURLPS</b>   | £110  |
| Classic Handle             | <b>OXCLASSICPS</b> | £100  |
| Squeegee with Wall Bracket | <b>SHSQUEEGCP</b>  | £45   |



Knurled Handle



Classic Handle



Squeegee

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |


*This enclosure requires a shower tray with a minimum ledge of 60mm*

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%





900 x 900mm Pivot Door with Side Panel

Door Opening



# OPTIX 10 Pivot Door

POLISHED STAINLESS STEEL



900mm Pivot Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code              | Price |
|-------|--------------|---------------------|-------------------|-------|
| 800mm | 600          | 760-785 (770-795**) | <b>OXWPSC0800</b> | £950  |
| 900mm | 800          | 860-885 (870-895**) | <b>OXWPSC0900</b> | £980  |

*This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel*

## Side Panel

| Width | Adjustment | Code                | Price |
|-------|------------|---------------------|-------|
| 800mm | 770-795    | <b>OXWPSPSC0800</b> | £625  |
| 900mm | 870-895    | <b>OXWPSPSC0900</b> | £650  |

*Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.*

## Optional Upgrades

| Part                       | Code               | Price |
|----------------------------|--------------------|-------|
| Knurled Handle             | <b>OXKNURLPS</b>   | £110  |
| Classic Handle             | <b>OXCLASSICPS</b> | £100  |
| Squeegee with Wall Bracket | <b>SHSQUEEGCP</b>  | £45   |



Knurled Handle



Classic Handle



Squeegee

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*


*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

\*Subject to online registration

All prices include VAT at 20%

67





1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

# OPTIX 10 Pivot Door with Inline Panel

POLISHED STAINLESS STEEL



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code       | Price |
|--------|--------------|-------------------------|------------|-------|
| 800mm  | 500          | 760-785 (770-795**)     | OXPDSC0800 | £1245 |
| 1000mm | 600          | 960-985 (970-995**)     | OXPDSC1000 | £1419 |
| 1200mm | 650          | 1160-1185 (1170-1195**) | OXPDSC1200 | £1560 |
| 1400mm | 650          | 1360-1385 (1370-1395**) | OXPDSC1400 | £1635 |

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. \*\*Adjustment when used with a side panel


## Side Panel

| Width | Adjustment | Code         | Price |
|-------|------------|--------------|-------|
| 800mm | 775-795    | OXPDSPSC0800 | £595  |
| 900mm | 875-895    | OXPDSPSC0900 | £625  |

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

## Optional Upgrades

| Part                       | Code        | Price |
|----------------------------|-------------|-------|
| Knurled Handle             | OXKNURLPS   | £110  |
| Classic Handle             | OXCLASSICPS | £100  |
| Squeegee with Wall Bracket | SHSQUEEGCP  | £45   |



Knurled Handle



Classic Handle



Squeegee

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

\*Subject to online registration

All prices include VAT at 20%





# GALLERY 8

Expertly curated, our luxury GALLERY 8 collection offers 8mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 8 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## BRUSHED BRONZE

Walk In p 74

## SLATE

Walk In p 76

## BRUSHED BRASS

Walk In p 78

## BRUSHED STAINLESS STEEL

Walk In p 80

## POLISHED STAINLESS STEEL

Walk In p 82

## MATT BLACK

Walk In p 84




# GALLERY 8

## Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar





## GALLERY 8 Brushed Bronze



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel



- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code        | Price |
|--------|-------------|-------|
| 255mm  | GR030008CBZ | £135  |
| 355mm  | GR040008CBZ | £155  |
| 455mm  | GR050008CBZ | £185  |
| 555mm  | GR060008CBZ | £210  |
| 655mm  | GR070008CBZ | £240  |
| 715mm  | GR076008CBZ | £255  |
| 755mm  | GR080008CBZ | £265  |
| 855mm  | GR090008CBZ | £295  |
| 955mm  | GR100008CBZ | £315  |
| 1055mm | GR110008CBZ | £350  |
| 1155mm | GR120008CBZ | £370  |
| 1355mm | GR140008CBZ | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code        | Price           |
|------------------------|--------|------------|-------------|-----------------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEBZ | £360 <b>NEW</b> |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





Corner with T Bracing Bar

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code           | Price           |
|------------------------------|---------------|----------------|-----------------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEBZ      | £205 <b>NEW</b> |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEBZ     | £350 <b>NEW</b> |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEBZ  | £175 <b>NEW</b> |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEBZ | £235 <b>NEW</b> |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10  | £20             |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code         | Price           |
|------------------------------------|-------|--------------|-----------------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEBZ | £285 <b>NEW</b> |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300  | £160            |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price           |
|--------------------------------|--------|--------------|-----------------|
| Fixed Deflector Glass          | 300mm  | GR030008CBZ  | £135 <b>NEW</b> |
| Fixed Deflector Glass          | 400mm  | GR040008CBZ  | £155 <b>NEW</b> |
| Glass to Glass Brackets (Pair) | -      | GRBRACKBZ    | £150 <b>NEW</b> |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20             |

\*\*Recommended when using glass to glass brackets

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

## GALLERY 8 Slate



Open Ended with Angled Glass to Wall Bracing Bar



- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code       | Price |
|--------|------------|-------|
| 255mm  | GR030008CT | £135  |
| 355mm  | GR040008CT | £155  |
| 455mm  | GR050008CT | £185  |
| 555mm  | GR060008CT | £210  |
| 655mm  | GR070008CT | £240  |
| 715mm  | GR076008CT | £255  |
| 755mm  | GR080008CT | £265  |
| 855mm  | GR090008CT | £295  |
| 955mm  | GR100008CT | £315  |
| 1055mm | GR110008CT | £350  |
| 1155mm | GR120008CT | £370  |
| 1355mm | GR140008CT | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code       | Price           |
|------------------------|--------|------------|------------|-----------------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILET | £360 <b>NEW</b> |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code          | Price           |
|------------------------------|---------------|---------------|-----------------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACET      | £205 <b>NEW</b> |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACET     | £350 <b>NEW</b> |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACET  | £175 <b>NEW</b> |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACET | £235 <b>NEW</b> |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20             |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price           |
|------------------------------------|-------|-------------|-----------------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGET | £285 <b>NEW</b> |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160            |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price           |
|--------------------------------|--------|--------------|-----------------|
| Fixed Deflector Glass          | 300mm  | GR030008CT   | £135 <b>NEW</b> |
| Fixed Deflector Glass          | 400mm  | GR040008CT   | £155 <b>NEW</b> |
| Glass to Glass Brackets (Pair) | -      | GRBRACKET    | £150 <b>NEW</b> |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20             |

\*\*Recommended when using glass to glass brackets

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

## GALLERY 8 Brushed Brass



Open Ended with Angled Glass to Wall Bracing Bar



Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code       | Price |
|--------|------------|-------|
| 255mm  | GR030008CF | £135  |
| 355mm  | GR040008CF | £155  |
| 455mm  | GR050008CF | £185  |
| 555mm  | GR060008CF | £210  |
| 655mm  | GR070008CF | £240  |
| 715mm  | GR076008CF | £255  |
| 755mm  | GR080008CF | £265  |
| 855mm  | GR090008CF | £295  |
| 955mm  | GR100008CF | £315  |
| 1055mm | GR110008CF | £350  |
| 1155mm | GR120008CF | £370  |
| 1355mm | GR140008CF | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code       | Price |
|------------------------|--------|------------|------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEF | £360  |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





Open Ended with Glass to Wall Bracing Bar

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code          | Price |
|------------------------------|---------------|---------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEF      | £205  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEF     | £350  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEF  | £175  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEF | £235  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20   |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price |
|------------------------------------|-------|-------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEF | £285  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160  |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030008CF   | £135  |
| Fixed Deflector Glass          | 400mm  | GR040008CF   | £155  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKF     | £150  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

## GALLERY 8 Brushed Stainless Steel



Open Ended with Glass to Wall Bracing Bar



Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code       | Price |
|--------|------------|-------|
| 255mm  | GR030008CF | £135  |
| 355mm  | GR040008CF | £155  |
| 455mm  | GR050008CF | £185  |
| 555mm  | GR060008CF | £210  |
| 655mm  | GR070008CF | £240  |
| 715mm  | GR076008CF | £255  |
| 755mm  | GR080008CF | £265  |
| 855mm  | GR090008CF | £295  |
| 955mm  | GR100008CF | £315  |
| 1055mm | GR110008CF | £350  |
| 1155mm | GR120008CF | £370  |
| 1355mm | GR140008CF | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code       | Price |
|------------------------|--------|------------|------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEV | £360  |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code          | Price |
|------------------------------|---------------|---------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEV      | £205  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEV     | £350  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEV  | £175  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEV | £235  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10 | £20   |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code        | Price |
|------------------------------------|-------|-------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEV | £285  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300 | £160  |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030008CF   | £135  |
| Fixed Deflector Glass          | 400mm  | GR040008CF   | £155  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKV     | £150  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

\*Subject to online registration

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

All prices include VAT at 20%



## GALLERY 8 Polished Stainless Steel



Open Ended with Angled Glass to Wall Bracing Bar



Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code       | Price |
|--------|------------|-------|
| 255mm  | GR030008CF | £135  |
| 355mm  | GR040008CF | £155  |
| 455mm  | GR050008CF | £185  |
| 555mm  | GR060008CF | £210  |
| 655mm  | GR070008CF | £240  |
| 715mm  | GR076008CF | £255  |
| 755mm  | GR080008CF | £265  |
| 855mm  | GR090008CF | £295  |
| 955mm  | GR100008CF | £315  |
| 1055mm | GR110008CF | £350  |
| 1155mm | GR120008CF | £370  |
| 1355mm | GR140008CF | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code         | Price |
|------------------------|--------|------------|--------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEPSS | £225  |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





Open Ended with Glass to Wall Bracing Bar

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code            | Price |
|------------------------------|---------------|-----------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEPSS      | £125  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEPSS     | £220  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEPSS  | £115  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEPSS | £140  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10   | £20   |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code          | Price |
|------------------------------------|-------|---------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEPSS | £215  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300   | £160  |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030008CF   | £135  |
| Fixed Deflector Glass          | 400mm  | GR040008CF   | £155  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKPSS   | £115  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

\*Subject to online registration

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

### Optional Accessories

|                            |     |
|----------------------------|-----|
| Squeegee with Wall Bracket |     |
| SHSQUEEGCP                 | £45 |



All prices include VAT at 20%



## GALLERY 8 Matt Black



Open Ended with Angled Glass to Wall Bracing Bar



Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Toughened Glass Panels

| Width  | Code       | Price |
|--------|------------|-------|
| 255mm  | GR030008CF | £135  |
| 355mm  | GR040008CF | £155  |
| 455mm  | GR050008CF | £185  |
| 555mm  | GR060008CF | £210  |
| 655mm  | GR070008CF | £240  |
| 715mm  | GR076008CF | £255  |
| 755mm  | GR080008CF | £265  |
| 855mm  | GR090008CF | £295  |
| 955mm  | GR100008CF | £315  |
| 1055mm | GR110008CF | £350  |
| 1155mm | GR120008CF | £370  |
| 1355mm | GR140008CF | £395  |

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

### Wall Profile

| Part                   | Size   | Adjustment | Code        | Price |
|------------------------|--------|------------|-------------|-------|
| Wall Profile with Seal | 2000mm | 15mm       | GRPROFILEMB | £225  |

### Optional Glass Bottom Seal

| Size       | Code         | Price |
|------------|--------------|-------|
| 1400 x 8mm | GRSEAL1400X8 | £10   |

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

### Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit [crosswater.co.uk](http://crosswater.co.uk)

### Stabilising Fixings

| Part                         | Size          | Code           | Price |
|------------------------------|---------------|----------------|-------|
| Glass to Wall Bracing Bar    | 1200mm        | GRBRACEMB      | £130  |
| T Bracing Bar                | 1200 x 1200mm | GRTBRACEMB     | £220  |
| Glass to Ceiling Bracing Bar | 600mm high    | GRCEILBRACEMB  | £120  |
| Angled Bracing Bar           | 941mm         | GRANGLEBRACEMB | £150  |
| Glass to Glass Corner Seal   | 2000 x 10mm   | GRSEAL2000X10  | £20   |

### Hinged Deflector Panel Fittings

| Part                               | Size  | Code         | Price |
|------------------------------------|-------|--------------|-------|
| Deflector Panel 180° Hinges (Pair) | -     | GRDEFHINGEMB | £215  |
| Hinged Deflector Glass with Seal   | 300mm | GRDEFLEC300  | £160  |

### Fixed Deflector Panel Fittings

| Part                           | Size   | Code         | Price |
|--------------------------------|--------|--------------|-------|
| Fixed Deflector Glass          | 300mm  | GR030008CF   | £135  |
| Fixed Deflector Glass          | 400mm  | GR040008CF   | £155  |
| Glass to Glass Brackets (Pair) | -      | GRBRACKMB    | £115  |
| Glass to Glass Seal**          | 2000mm | GRBUBBLESEAL | £20   |

\*\*Recommended when using glass to glass brackets

\*Subject to online registration

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm VITO Shower Trays | 156  |
| 25mm CREO Shower Trays | 154  |

All prices include VAT at 20%







# SVELTE 8

Available in a wide range of door opening options and sizes, our premium 8mm glass range SVELTE 8 offers a sleek design, strong toughened glass with minimal profiles and high-quality hardware finished in beautiful polished Stainless Steel.

The SVELTE 8 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

Sliding Doors p 90

Hinged Doors p 91

Walk In Panels p 93



# SVELTE 8

## Product Highlights

1. Watertight magnetic seals
2. Elegant, strong and easy to install bracing bars finished in polished stainless steel
3. Seamless wall profiles with concealed fixings
4. Flush-fit hinges for easier glass cleaning, and angled bottom seal
5. Clear glass open handle design
6. Optional magnetic silver two-piece handle included
7. Larger wheels for the smoothest and quietest running system




1



# SVELTE 8 Single Sliding Door



1400 x 900mm Single Sliding Door with Side Panel



Door Opening



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Polished stainless steel finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door

| Width  | Door Opening | Adjustment              | Code      | Price |
|--------|--------------|-------------------------|-----------|-------|
| 1200mm | 475          | 1165–1195 (1170–1185**) | SSLSC1200 | £1140 |
| 1400mm | 575          | 1365–1395 (1370–1385**) | SSLSC1400 | £1245 |

\*\*Adjustment when used with a side panel.

## Side Panel

| Width  | Adjustment | Code      | Price |
|--------|------------|-----------|-------|
| 700mm  | 670–685    | SSPSC0700 | £355  |
| 800mm  | 770–785    | SSPSC0800 | £380  |
| 900mm  | 870–885    | SSPSC0900 | £405  |
| 1000mm | 970–985    | SSPSC1000 | £430  |
| 1200mm | 1170–1185  | SSPSC1200 | £455  |

The moving door must only close against a side panel

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

This enclosure requires a shower tray with a minimum ledge of 60mm

## Required Fittings

| When using a side panel                       |      |
|-----------------------------------------------|------|
| <b>Seal required with a side panel</b>        |      |
| SLSPSEAL                                      | £30  |
| <b>Bracing bar required with a side panel</b> |      |
| SPBRACE                                       | £105 |


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# SVELTE 8 Hinged Door



900 x 900mm Hinged Door with Side Panel



Door Opening



900mm Wall Mounted Hinged Door in Recess

- 1985mm enclosure height, 2000mm side panel
- Polished stainless steel finished
- Reversible door for left or right hand entry
- 10mm width adjustment for easy fitting
- Wall mounted flush fit hinges
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door

| Width | Door Opening | Adjustment      | Code      | Price |
|-------|--------------|-----------------|-----------|-------|
| 800mm | 770          | 770-780 (767**) | SWHSC0800 | £725  |
| 900mm | 870          | 870-880 (867**) | SWHSC0900 | £785  |

\*\*Fixed width when used with a side panel

## Side Panel

| Width  | Adjustment | Code      | Price |
|--------|------------|-----------|-------|
| 700mm  | 670-685    | SSPSC0700 | £355  |
| 800mm  | 770-785    | SSPSC0800 | £380  |
| 900mm  | 870-885    | SSPSC0900 | £405  |
| 1000mm | 970-985    | SSPSC1000 | £430  |
| 1200mm | 1170-1185  | SSPSC1200 | £455  |

The moving door must only close against a side panel

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

This enclosure requires a shower tray with a minimum ledge of 60mm

## Required Fittings When using a side panel

|                                                 |      |
|-------------------------------------------------|------|
| <b>Seal required with a side panel</b>          |      |
| HDSPSEAL                                        | £35  |
| <b>Bracing bar required with a side panel</b>   |      |
| SPBRACE                                         | £105 |
| <b>Bracing bar for wall mount door and side</b> |      |
| WSBRACE                                         | £95  |



# SVELTE 8 Hinged Door with Inline Panel



900 x 1000mm Hinged Door with Inline and Side Panel

Door Opening



900mm Hinged Door with Inline Panel in Recess

- 2000mm enclosure height
- Polished stainless steel finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Flush fit hinges
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code      | Price |
|--------|--------------|-------------------------|-----------|-------|
| 900mm  | 577          | 870-895 (870-885**)     | SHDSC0900 | £1040 |
| 1000mm | 627          | 970-995 (970-985**)     | SHDSC1000 | £1140 |
| 1200mm | 627          | 1170-1195 (1170-1185**) | SHDSC1200 | £1245 |

\*\*Adjustment when used with a side panel

## Side Panel

| Width  | Adjustment | Code      | Price |
|--------|------------|-----------|-------|
| 700mm  | 670-685    | SSPSC0700 | £355  |
| 800mm  | 770-785    | SSPSC0800 | £380  |
| 900mm  | 870-885    | SSPSC0900 | £405  |
| 1000mm | 970-985    | SSPSC1000 | £430  |
| 1200mm | 1170-1185  | SSPSC1200 | £455  |

The moving door must only close against a side panel

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

This enclosure requires a shower tray with a minimum ledge of 60mm

## Required Fittings When using a side panel

| Seal required with a side panel        |      |
|----------------------------------------|------|
| HDSPSEAL                               | £35  |
| Bracing bar required with a side panel |      |
| SPBRACE                                | £105 |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# SVELTE 8 Walk In



1200mm Walk In Panel



1200mm Walk In with Optional 300mm Retro Fit Deflector Panel

- 1985mm enclosure height
- Polished stainless steel finish
- 15mm width adjustment for easy fitting
- Optional retro fit hinged deflector panel
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Walk In Panel

| Width  | Adjustment | Code      | Price |
|--------|------------|-----------|-------|
| 700mm  | 650-665    | SSPSC0700 | £355  |
| 800mm  | 750-765    | SSPSC0800 | £380  |
| 900mm  | 850-865    | SSPSC0900 | £405  |
| 1000mm | 950-965    | SSPSC1000 | £430  |
| 1200mm | 1150-1165  | SSPSC1200 | £455  |

## Retro Fit Deflector 90° Panel

| Width | Code       | Price |
|-------|------------|-------|
| 300mm | SWIDP300ST | £345  |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

*This enclosure requires a shower tray with a minimum ledge of 60mm*

## Optional Fittings

| Bracing bar for use in recesses    |      |
|------------------------------------|------|
| WIBRACE                            | £125 |
| T shape bracing bar for corner use |      |
| PI0000030                          | £120 |







# INFINITY 8

Available in a wide range of door options and sizes, our premium 8mm glass range INFINITY 8 takes showering luxury to a new level of sophistication.

With strong toughened glass, a timeless fully-framed design and completely concealed fixings finished in beautiful polished Stainless Steel INFINITY 8 will be at home in modern or more traditional bathroom designs.

The INFINITY 8 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind



Sliding Doors p 98

Hinged Doors p 99

Pivot Doors p 100

Quadrant Enclosures p 101

Walk In Panels p 102



# INFINITY 8

## Product Highlights

1. Watertight door seals
2. Seamless wall profiles with concealed fixings for easy and quick adjustment
3. Smooth and silent slow open/close sliding door
4. Deflector and bath panel flush fit hinges for easy cleaning and 180° movement
5. Beautiful polished stainless steel designer handle
6. Cleverly designed door seals guarantee no leaks
7. Easy, quick release rollers for easy cleaning



1



# INFINITY 8 Single Sliding Door with Soft Close



1400 x 900mm Single Sliding Door with Side Panel

Door Opening



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- Reversible door for left or right hand entry
- Up to 40mm width adjustment for easy fitting
- Quick release, easy to clean double rollers
- Soft close and concealed fixings
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code       | Price |
|--------|--------------|-------------------------|------------|-------|
| 1200mm | 465          | 1150–1190 (1150–1170**) | ISLSC1200+ | £1080 |
| 1400mm | 565          | 1350–1390 (1350–1370**) | ISLSC1400+ | £1145 |

\*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 800mm | 760–780    | ISPSC0800+ | £575  |
| 900mm | 860–880    | ISPSC0900+ | £585  |

The moving door must only close against a side panel

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# INFINITY 8 Hinged Door



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- Reversible door for left or right hand entry
- Up to 40mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door

| Width | Door Opening | Adjustment          | Code       | Price |
|-------|--------------|---------------------|------------|-------|
| 900mm | 747          | 870-910 (870-890**) | IHDSC0900+ | £845  |

\*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 800mm | 760-780    | ISPSC0800+ | £575  |
| 900mm | 860-880    | ISPSC0900+ | £585  |

The moving door must only close against a side panel.

When using a side panel please ensure measurements are carefully checked against the adjustments detailed above. It is recommended to take the measurements after the tray is installed and the walls are tiled.

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

# INFINITY 8 Pivot Door



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- Reversible door for left or right hand entry
- Up to 40mm width adjustment for easy fitting
- Flush fit pivot hinge
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment          | Code       | Price |
|-------|--------------|---------------------|------------|-------|
| 900mm | 606          | 870-910 (870-890**) | IPDSC0900+ | £815  |

\*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 800mm | 760-780    | ISPSC0800+ | £575  |
| 900mm | 860-880    | ISPSC0900+ | £585  |

The moving door must only close against a side panel.

When using a side panel please ensure measurements are carefully checked against the adjustments detailed above. It is recommended to take the measurements after the tray is installed and the walls are tiled.

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# INFINITY 8 Quadrant Single Door



900mm Quadrant Single Door

Door Opening



1200 x 900mm Offset Quadrant Single Door

- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- Reversible door for left or right hand entry
- 20mm width adjustment for easy fitting
- Quick release, easy to clean double rollers
- Concealed fixings
- Suitable for 550mm radius shower trays or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 900mm | 460          | 860-880    | IQSSC0900+ | £1105 |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment          | Code       | Price |
|--------------|--------------|---------------------|------------|-------|
| 1000 x 800mm | 460          | 960-980 x 760-780   | IQSSC10X8+ | £1200 |
| 1200 x 800mm | 460          | 1160-1180 x 760-780 | IQSSC12X8+ | £1200 |
| 1200 x 900mm | 460          | 1160-1180 x 860-880 | IQSSC12X9+ | £1200 |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |



# INFINITY 8 Walk In with Deflector Panel



1235mm Walk In with 180° Inward and Outward Hinged Deflector and 550mm End Panel

Door Opening



1235mm Walk In with Deflector and 550mm End Panel

- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 180° hinged folding panel for easy access
- Reversible panel for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Walk In with 180° Hinged Deflector Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 1035mm | 1035-1055  | IWESC1050+ | £760  |
| 1235mm | 1235-1255  | IWESC1250+ | £835  |

## End Panel

| Width | Adjustment | Code      | Price |
|-------|------------|-----------|-------|
| 550mm | 550-570    | IWKSC0550 | £325  |

## Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.









# DESIGN 8

Intelligently built across an extensive range of door options and sizes our premium 8mm glass range DESIGN 8 has become a contemporary classic in its field.

A simple and sleek semi-frameless form with strong 8mm toughened, and high performance hardware is finished in Matt Black or Silver anodised aluminium.

The Design 8 range is suitable for either a shower tray or tiled floor installation.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## MATT BLACK

Sliding Doors p 108

Hinged Doors p 109

Walk In Panels p 110

## SILVER

Sliding Doors p 112

Hinged Doors p 113

Quadrant Enclosures p 115

Pentagon Enclosures p 117

Walk In Panels p 118



# DESIGN 8

## Product Highlights

1. Watertight magnetic door seals in Clear and Black
2. Slim modern chrome finish and bracing bars
3. Wall profile and bracing bar with concealed fixings
4. Ultra-strong bracing bar for side or walk-in panels
5. Unique double handle design in chrome finish
6. Smart easy-clean internal flush-fit hinges
7. High-performance hinges and cleverly designed door seals guarantee no leaks







# DESIGN 8 Single Sliding Door with Soft Close

MATT BLACK



1200 x 900mm Soft Close Slider with Side Panel

Door Opening



1200mm Soft Close Slider in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Quick release bottom catch for easy cleaning
- Concealed fixings
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glasst**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code             | Price |
|--------|--------------|-------------------------|------------------|-------|
| 1200mm | 489          | 1160–1185 (1170–1195**) | <b>PRSBC1200</b> | £1095 |
| 1400mm | 589          | 1360–1385 (1370–1395**) | <b>PRSBC1400</b> | £1135 |
| 1500mm | 639          | 1460–1485 (1470–1495**) | <b>PRSBC1500</b> | £1125 |
| 1700mm | 739          | 1660–1685 (1670–1695**) | <b>PRSBC1700</b> | £1205 |

\*\*Adjustment when used with a side panel

## Side Panel

| Width | Adjustment | Code               | Price |
|-------|------------|--------------------|-------|
| 800mm | 775–785    | <b>PRLSP0800BM</b> | £485  |
| 900mm | 875–885    | <b>PRLSP0900BM</b> | £505  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

This enclosure requires a shower tray with a minimum ledge of 60mm

## Optional Fittings

### Wall channel for uneven surfaces

|                 |      |
|-----------------|------|
| DSLADJPROFILEMB | £105 |
|-----------------|------|

### Bracing bar for 800mm side panel

|             |     |
|-------------|-----|
| PRBRACE650B | £85 |
|-------------|-----|

### Bracing bar for 900 or 1000mm side panel

|             |     |
|-------------|-----|
| PRBRACE700B | £85 |
|-------------|-----|

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# DESIGN 8 Hinged Door with Inline Panel

MATT BLACK



1200 x 900mm Hinged Door with Inline and Side Panel

Door Opening



1200mm Hinged Door with Inline Panel in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code      | Price |
|--------|--------------|-------------------------|-----------|-------|
| 800mm  | 540          | 770-795 (756-771**)     | PRDBC0800 | £1075 |
| 900mm  | 590          | 870-895 (856-871**)     | PRDBC0900 | £1125 |
| 1000mm | 590          | 970-995 (956-971**)     | PRDBC1000 | £1205 |
| 1200mm | 640          | 1170-1195 (1156-1171**) | PRDBC1200 | £1295 |

\*\*Adjustment when used with a side panel

## Side Panel

| Width  | Adjustment                    | Code      | Price |
|--------|-------------------------------|-----------|-------|
| 800mm  | 775-790                       | PRSPB0800 | £555  |
| 900mm  | 875-890                       | PRSPB0900 | £585  |
| 1000mm | 975-990                       | PRSPB1000 | £770  |
| 1200mm | supplied with 90° bracing bar | PRSPB1200 | £910  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile                        |     |
|------------------------------------------|-----|
| DS0000110MB                              | £95 |
| Bracing bar for 800mm side panel         |     |
| PRBRACE650B                              | £85 |
| Bracing bar for 900 or 1000mm side panel |     |
| PRBRACE700B                              | £85 |

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

\*Subject to online registration

All prices include VAT at 20%



# DESIGN 8 Walk In

MATT BLACK



Walk In Panel

Door Opening



Walk In with Deflector Panel in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Walk In Panel

| Width  | Adjustment                              | Code      | Price |
|--------|-----------------------------------------|-----------|-------|
| 800mm  | 742-757                                 | PRSPB0800 | £555  |
| 900mm  | 842-857                                 | PRSPB0900 | £585  |
| 1000mm | 942-957                                 | PRSPB1000 | £770  |
| 1200mm | supplied with 90° bracing bar 1142-1157 | PRSPB1200 | £910  |

## Retro Fit 90° Deflector Panel

| Width | Code        | Price |
|-------|-------------|-------|
| 300mm | PWIDP300ST+ | £370  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

### Glass to wall bracing bar 1200mm

|           |      |
|-----------|------|
| GRBRACEMB | £130 |
|-----------|------|

### T bracing bar 1200 x 1200mm

|            |      |
|------------|------|
| GRTBRACEMB | £220 |
|------------|------|

### Glass to ceiling bracing bar 600mm high

|               |      |
|---------------|------|
| GRCEILBRACEMB | £120 |
|---------------|------|

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





## DESIGN 8 Single Sliding Door with Soft Close



1500 x 900mm Single Sliding Door with Side Panel

Door Opening



1500mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Quick release double rollers for easier cleaning
- Soft close opening and closing
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Single Sliding Door with Soft Close

| Width  | Door Opening | Adjustment              | Code             | Price |
|--------|--------------|-------------------------|------------------|-------|
| 1100mm | 439          | 1060–1085 (1070–1095**) | <b>DSLSC1100</b> | £855  |
| 1200mm | 489          | 1160–1185 (1170–1195**) | <b>DSLSC1200</b> | £865  |
| 1400mm | 589          | 1360–1385 (1370–1395**) | <b>DSLSC1400</b> | £910  |
| 1500mm | 639          | 1460–1485 (1470–1495**) | <b>DSLSC1500</b> | £975  |
| 1600mm | 689          | 1560–1585 (1570–1595**) | <b>DSLSC1600</b> | £1010 |
| 1700mm | 739          | 1660–1685 (1670–1695**) | <b>DSLSC1700</b> | £1020 |

\*\*Adjustment when used with a side panel

### Side Panel

| Width | Adjustment | Code             | Price |
|-------|------------|------------------|-------|
| 800mm | 775–785    | <b>DSLSP0800</b> | £375  |
| 900mm | 875–885    | <b>DSLSP0900</b> | £390  |

The moving door must only close against a side panel

### Recommended Tray

| Range                       | Page |
|-----------------------------|------|
| 25mm CREO Shower Trays      | 154  |
| 25mm VITO Shower Trays      | 156  |
| 45mm Edge Waste Shower tray | 158  |

This enclosure requires a shower tray with a minimum ledge of 60mm

### Optional Fittings

#### Wall channel for uneven surfaces

|               |     |
|---------------|-----|
| DSLADJPROFILE | £85 |
|---------------|-----|

#### Bracing bar for 800mm side panel

|            |     |
|------------|-----|
| DEBRACE650 | £60 |
|------------|-----|

#### Bracing bar for 900 or 1000mm side panel

|            |     |
|------------|-----|
| DEBRACE700 | £60 |
|------------|-----|

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# DESIGN 8 Hinged Door



800 x 1200mm Hinged Door with Side Panel

Door Opening



800mm Hinged Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Wall mounted
- 10mm width adjustment for easy fitting
- Flush fit hinges
- Optional outward opening hinge available
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door

| Width       | Door Opening | Adjustment      | Code        | Price |
|-------------|--------------|-----------------|-------------|-------|
| 800mm left  | 720          | 780-790 (769**) | DWHSC0800L+ | £735  |
| 800mm right | 720          | 780-790 (769**) | DWHSC0800R+ | £735  |
| 900mm left  | 820          | 880-890 (869**) | DWHSC0900L+ | £735  |
| 900mm right | 820          | 880-890 (869**) | DWHSC0900R+ | £735  |

\*\*Fixed width when used with a side panel

## Side Panel

| Width                            | Adjustment | Code       | Price |
|----------------------------------|------------|------------|-------|
| 700mm                            | 675-690    | DSPSC0700+ | £415  |
| 760mm                            | 735-750    | DSPSC0760+ | £420  |
| 800mm                            | 775-790    | DSPSC0800+ | £445  |
| 900mm                            | 875-890    | DSPSC0900+ | £475  |
| 1000mm                           | 975-990    | DSPSC1000+ | £630  |
| 1100mm supplied with bracing bar | 1075-1090  | DSPSC1100+ | £695  |
| 1200mm supplied with bracing bar | 1175-1190  | DSPSC1200+ | £735  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

|                                                 |      |
|-------------------------------------------------|------|
| <b>Outward opening hinge</b>                    |      |
| DS0000021+                                      | £65  |
| <b>15mm Side Panel Extension Profile</b>        |      |
| DS0000110+                                      | £105 |
| <b>Bracing bar for 700mm side panel</b>         |      |
| DEBRACE500                                      | £55  |
| <b>Bracing bar for 760mm side panel</b>         |      |
| DEBRACE550                                      | £55  |
| <b>Bracing bar for 800mm side panel</b>         |      |
| DEBRACE650                                      | £60  |
| <b>Bracing bar for 900 or 1000mm side panel</b> |      |
| DEBRACE700                                      | £60  |



## DESIGN 8 Hinged Door with Inline Panel



900 x 900mm Hinged Door with Inline Panel and Side Panel

Door Opening



900mm Hinged Door with Inline Panel in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Hinged Door with Inline Panel

| Width  | Door Opening | Adjustment              | Code       | Price |
|--------|--------------|-------------------------|------------|-------|
| 800mm  | 540          | 770-795 (756-771**)     | DHDSC0800+ | £865  |
| 900mm  | 590          | 870-895 (856-871**)     | DHDSC0900+ | £895  |
| 1000mm | 590          | 970-995 (956-971**)     | DHDSC1000+ | £975  |
| 1200mm | 640          | 1170-1195 (1156-1171**) | DHDSC1200+ | £1050 |

\*\*Adjustment when used with a side panel

### Side Panel

| Width  | Adjustment                | Code       | Price      |      |
|--------|---------------------------|------------|------------|------|
| 700mm  | 675–690                   | DSPSC0700+ | £415       |      |
| 760mm  | 735–750                   | DSPSC0760+ | £420       |      |
| 800mm  | 775–790                   | DSPSC0800+ | £445       |      |
| 900mm  | 875–890                   | DSPSC0900+ | £475       |      |
| 1000mm | 975–990                   | DSPSC1000+ | £630       |      |
| 1100mm | supplied with bracing bar | 1075–1090  | DSPSC1100+ | £695 |
| 1200mm | supplied with bracing bar | 1175–1190  | DSPSC1200+ | £735 |

The moving door must only close against a side panel

### Recommended Tray

| Range                  | Page |
|------------------------|------|
| 25mm CREO Shower Trays | 154  |
| 25mm VITO Shower Trays | 156  |

### Optional Fittings

#### 15mm Side Panel Extension Profile

|            |      |
|------------|------|
| DS0000110+ | £105 |
|------------|------|

#### Bracing bar for 700mm side panel

|            |     |
|------------|-----|
| DEBRACE500 | £55 |
|------------|-----|

#### Bracing bar for 760mm side panel

|            |     |
|------------|-----|
| DEBRACE550 | £55 |
|------------|-----|

#### Bracing bar for 800mm side panel

|            |     |
|------------|-----|
| DEBRACE650 | £60 |
|------------|-----|

#### Bracing bar for 900 or 1000mm side panel

|            |     |
|------------|-----|
| DEBRACE700 | £60 |
|------------|-----|

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# DESIGN 8 Quadrant Single Door



1200 x 900mm Offset Quadrant Single Hinged Door

Door Opening



900mm Quadrant Single Hinged Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for 550mm radius shower trays or tiled floors (wet room)

Toughened Glass†  
Strong and safeProtective Finish  
Easy to cleanLifetime Guarantee\*  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 800mm | 650          | 770-785    | DQSSC0800+ | £920  |
| 900mm | 650          | 870-885    | DQSSC0900+ | £985  |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment        | Code       | Price |
|--------------|--------------|-------------------|------------|-------|
| 1000 x 800mm | 650          | 770-785/970-985   | DQSSC10X8+ | £1055 |
| 1200 x 800mm | 650          | 770-785/1170-1185 | DQSSC12X8+ | £1105 |
| 1200 x 900mm | 650          | 870-885/1170-1185 | DQSSC12X9+ | £1115 |

On all Offset Quadrants the door will be hinged off the smaller panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.


\*Subject to online registration



# DESIGN 8 Quadrant Double Doors



900mm Quadrant Double Hinged Doors



Door Opening



900mm Quadrant Double Hinged Doors

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for 550mm radius shower trays or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

| Quadrant Double Doors |              |            |            |       |
|-----------------------|--------------|------------|------------|-------|
| Width                 | Door Opening | Adjustment | Code       | Price |
| 800mm                 | 650          | 770–785    | DQDSC0800+ | £895  |
| 900mm                 | 650          | 870–885    | DQDSC0900+ | £935  |

| Recommended Tray             |      |
|------------------------------|------|
| Range                        | Page |
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

## DESIGN 8 Pentagon Enclosure



900mm Pentagon Enclosure

Door Opening



900mm Pentagon Enclosure

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Pentagon Enclosure

| Width       | Door Opening | Adjustment | Code       | Price |
|-------------|--------------|------------|------------|-------|
| 900 x 900mm | 665          | 875-890    | DPTSC0900+ | £1210 |

### Recommended Tray

| Range                     | Page |
|---------------------------|------|
| 35mm Acrylic Shower Trays | 162  |

† Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

\*Subject to online registration

## DESIGN 8 Walk In



Walk In Panel with Retro Fit Deflector and Side Panel



Corner Walk In

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Choice of bracing bar options
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Walk In Panel

| Width  |                               | Adjustment | Code       | Price |
|--------|-------------------------------|------------|------------|-------|
| 700mm  |                               | 642-657    | DSPSC0700+ | £415  |
| 760mm  |                               | 702-717    | DSPSC0760+ | £420  |
| 800mm  |                               | 742-757    | DSPSC0800+ | £445  |
| 900mm  |                               | 842-857    | DSPSC0900+ | £475  |
| 1000mm |                               | 942-957    | DSPSC1000+ | £630  |
| 1100mm | supplied with 90° bracing bar | 1042-1057  | DSPSC1100+ | £695  |
| 1200mm | supplied with 90° bracing bar | 1142-1157  | DSPSC1200+ | £735  |

### Retro Fit 90° Deflector Panel

| Width | Code        | Price |
|-------|-------------|-------|
| 300mm | DWIDP300ST+ | £345  |

### Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





Recess Walk In with Retro Fit Deflector Panel



Recess with Double Walk In Panels



Walk Through (Requires 2 x Glass To Wall Bracing Bars)



Recess Walk In Panel



Three Sided Walk In (Requires Corner Post and T Brace)



Retro Fit Deflector Panel

### Optional Fittings

|                                              |            |      |
|----------------------------------------------|------------|------|
| 15mm side panel extension profile            | DS0000110+ | £105 |
| Bracing bar for 400mm side panel             | DEBRACE250 | £35  |
| Bracing bar for 500mm side panel             | DEBRACE350 | £50  |
| Bracing bar for 600mm side panel             | DEBRACE450 | £55  |
| Bracing bar for 700mm side panel             | DEBRACE500 | £55  |
| Bracing bar for 760mm side panel             | DEBRACE550 | £55  |
| Bracing bar for 800mm side panel             | DEBRACE650 | £60  |
| Bracing bar for 900 or 1000mm side panel     | DEBRACE700 | £60  |
| T-shaped bracing bar - 1000mm                | PI0000030  | £120 |
| Ceiling mount bracing bar - 600mm            | DCBRACE    | £85  |
| Corner post with covers for 3 sided walk in† | PI0000031  | £65  |
| Glass to wall bracing bar - 1200mm           | GRBRACEPSS | £125 |

†2000mm high - requires trimming during installation

## DESIGN 8 Walk In Easy Access



1400mm Walk In Easy Access with Side Panel

Door Opening



1400mm Walk In Easy Access in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- 90° hinged folding panel for easy access
- Reversible panels for left or right hand entry
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Walk In Easy Access

| Width  | Door Opening                                | Adjustment | Code      | Price              |
|--------|---------------------------------------------|------------|-----------|--------------------|
| 1700mm | 900mm (fixed panel)<br>300mm (return panel) | 770        | 1200-1215 | DWQSC1700+<br>£915 |

### Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 500mm | 442-457    | DSPSC0500+ | £365  |
| 700mm | 642-657    | DSPSC0700+ | £415  |
| 760mm | 702-717    | DSPSC0760+ | £420  |
| 800mm | 742-757    | DSPSC0800+ | £445  |
| 900mm | 842-857    | DSPSC0900+ | £475  |

### Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 25mm VITO Shower Trays       | 156  |
| 45mm Edge Waste Shower Trays | 158  |

### Optional Fittings

|                                         |     |
|-----------------------------------------|-----|
| <b>Bracing bar for 400mm side panel</b> |     |
| DEBRACE250                              | £35 |
| <b>Bracing bar for 500mm side panel</b> |     |
| DEBRACE350                              | £50 |
| <b>Bracing bar for 600mm side panel</b> |     |
| DEBRACE450                              | £55 |
| <b>Bracing bar for 700mm side panel</b> |     |
| DEBRACE500                              | £55 |
| <b>Bracing bar for 760mm side panel</b> |     |
| DEBRACE550                              | £55 |
| <b>Bracing bar for 800mm side panel</b> |     |
| DEBRACE650                              | £60 |
| <b>Bracing bar for 900mm side panel</b> |     |
| DEBRACE700                              | £60 |

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*





**NEW**





# CLEAR 6

Introducing the latest click and lock quick-fit installation system.

Dramatically reducing install time this patent protected<sup>†</sup> design is further enhanced by sleek modern profiles.

Upgraded premium hardware often only featured in more expensive shower doors, and a wide selection of door styles and sizes makes Clear 6 the ideal shower range for any bathroom application.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## BRUSHED BRASS

Sliding Doors p 126

Pivot Doors p 127

Infold Doors p 128

Quadrant Enclosures p 129

## MATT BLACK

Sliding Doors p 130

Pivot Doors p 131

Infold Doors p 132

Bi-fold Doors p 133

Quadrant Enclosures p 134

## SILVER

Sliding Doors p 136

Hinged Doors p 137

Pivot Doors p 138

Infold Doors p 139

Bi-fold Doors p 140

Quadrant Enclosures p 141



# CLEAR 6

## Product Highlights

1. Watertight door seals in Clear, Black or Brass
2. Smooth pivot door motion with secure closing
3. Free-flowing rollers with height adjustment and concealed profiles
4. Easy, quick side panel adjustment
5. Rolling Infold door with matchless water guard system
6. Elegant chrome-plated soft square double handle
7. Super-seal wall profiles virtually remove the need for silicone
8. Simple, quick-release, easy-clean double rollers
9. Click and lock quick-fit installation system






# CLEAR 6 Single Sliding Door

BRUSHED BRASS



1400 x 900mm Single Sliding Door with Side Panel



Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door

| Width  | Door Opening | Adjustment | Code       | Price            |
|--------|--------------|------------|------------|------------------|
| 1000mm | 388          | 960-990    | CASLFC1000 | £940 <b>NEW</b>  |
| 1100mm | 438          | 1060-1090  | CASLFC1100 | £950 <b>NEW</b>  |
| 1200mm | 488          | 1160-1190  | CASLFC1200 | £990 <b>NEW</b>  |
| 1400mm | 588          | 1360-1390  | CASLFC1400 | £1030 <b>NEW</b> |
| 1500mm | 638          | 1460-1490  | CASLFC1500 | £1050 <b>NEW</b> |
| 1600mm | 638          | 1560-1590  | CASLFC1600 | £1140 <b>NEW</b> |

## Side Panel

| Width  | Adjustment | Code       | Price           |
|--------|------------|------------|-----------------|
| 760mm  | 735-750    | CASFBC0760 | £460 <b>NEW</b> |
| 800mm  | 775-790    | CASFBC0800 | £470 <b>NEW</b> |
| 900mm  | 875-890    | CASFBC0900 | £495 <b>NEW</b> |
| 1000mm | 975-990    | CASFBC1000 | £530 <b>NEW</b> |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEFC £110 **NEW**

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# CLEAR 6 Pivot Door

BRUSHED BRASS



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment | Code       | Price           |
|-------|--------------|------------|------------|-----------------|
| 800mm | 547          | 760-790    | CAPDFC0800 | £750 <b>NEW</b> |
| 900mm | 647          | 860-890    | CAPDFC0900 | £770 <b>NEW</b> |

## Side Panel

| Width  | Adjustment | Code       | Price           |
|--------|------------|------------|-----------------|
| 760mm  | 735-750    | CASFBC0760 | £460 <b>NEW</b> |
| 800mm  | 775-790    | CASFBC0800 | £470 <b>NEW</b> |
| 900mm  | 875-890    | CASFBC0900 | £495 <b>NEW</b> |
| 1000mm | 975-990    | CASFBC1000 | £530 <b>NEW</b> |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |                 |
|---------------------------------|-----------------|
| CAEXTPROFILEFC                  | £110 <b>NEW</b> |

# CLEAR 6 Infold Door

BRUSHED BRASS



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Infold Door

| Width  | Door Opening | Adjustment | Code       | Price           |
|--------|--------------|------------|------------|-----------------|
| 760mm  | 578          | 720-750    | CAIDFC0760 | £895 <b>NEW</b> |
| 800mm  | 618          | 760-790    | CAIDFC0800 | £895 <b>NEW</b> |
| 900mm  | 718          | 860-890    | CAIDFC0900 | £965 <b>NEW</b> |
| 1000mm | 819          | 960-990    | CAIDFC1000 | £995 <b>NEW</b> |

## Side Panel

| Width  | Adjustment | Code       | Price           |
|--------|------------|------------|-----------------|
| 760mm  | 735-750    | CASFBC0760 | £460 <b>NEW</b> |
| 800mm  | 775-790    | CASFBC0800 | £470 <b>NEW</b> |
| 900mm  | 875-890    | CASFBC0900 | £495 <b>NEW</b> |
| 1000mm | 975-990    | CASFBC1000 | £530 <b>NEW</b> |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |      |            |
|---------------------------------|------|------------|
| CAEXTPROFILEFC                  | £110 | <b>NEW</b> |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# CLEAR 6 Quadrant Single Door

BRUSHED BRASS



900mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment | Code       | Price            |
|-------|--------------|------------|------------|------------------|
| 800mm | 480          | 770-785    | CAQSFC0800 | £1100 <b>NEW</b> |
| 900mm | 480          | 870-885    | CAQSFC0900 | £1210 <b>NEW</b> |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment        | Code       | Price            |
|--------------|--------------|-------------------|------------|------------------|
| 1000 x 800mm | 480          | 770-785/970-985   | CAQSFC10X8 | £1280 <b>NEW</b> |
| 1200 x 800mm | 480          | 770-785/1170-1185 | CAQSFC12X8 | £1360 <b>NEW</b> |
| 1200 x 900mm | 480          | 870-885/1170-1185 | CAQSFC12X9 | £1370 <b>NEW</b> |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |




# CLEAR 6 Single Sliding Door

MATT BLACK



1400 x 900mm Single Sliding Door with Side Panel



Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glasst**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 1000mm | 388          | 960-990    | CASLBC1000 | £855  |
| 1100mm | 438          | 1060-1090  | CASLBC1100 | £865  |
| 1200mm | 488          | 1160-1190  | CASLBC1200 | £865  |
| 1400mm | 588          | 1360-1390  | CASLBC1400 | £935  |
| 1500mm | 638          | 1460-1490  | CASLBC1500 | £950  |
| 1600mm | 638          | 1560-1590  | CASLBC1600 | £1035 |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 760mm  | 735-750    | CASPBC0760 | £400  |
| 800mm  | 775-790    | CASPBC0800 | £410  |
| 900mm  | 875-890    | CASPBC0900 | £435  |
| 1000mm | 975-990    | CASPBC1000 | £465  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILEBC                  | £95 |

*†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.*

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*



# CLEAR 6 Pivot Door

MATT BLACK



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 800mm | 547          | 760-790    | CAPDBC0800 | £650  |
| 900mm | 647          | 860-890    | CAPDBC0900 | £670  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 760mm  | 735-750    | CASPBC0760 | £400  |
| 800mm  | 775-790    | CASPBC0800 | £410  |
| 900mm  | 875-890    | CASPBC0900 | £435  |
| 1000mm | 975-990    | CASPBC1000 | £465  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

### Extension profile - 1950 x 25mm

|                |     |
|----------------|-----|
| CAEXTPROFILEBC | £95 |
|----------------|-----|

# CLEAR 6 Infold Door

MATT BLACK



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Infold Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 760mm  | 578          | 720-750    | CAIDBC0760 | £830  |
| 800mm  | 618          | 760-790    | CAIDBC0800 | £830  |
| 900mm  | 718          | 860-890    | CAIDBC0900 | £905  |
| 1000mm | 819          | 960-990    | CAIDBC1000 | £925  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 760mm  | 735-750    | CASPBC0760 | £400  |
| 800mm  | 775-790    | CASPBC0800 | £410  |
| 900mm  | 875-890    | CASPBC0900 | £435  |
| 1000mm | 975-990    | CASPBC1000 | £465  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILEBC                  | £95 |

*Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.*

# CLEAR 6 Bi-fold Door

MATT BLACK



900 x 900mm Bi-fold with Side Panel



Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Bi-fold Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 800mm  | 491          | 760-790    | CABFBC0800 | £775  |
| 900mm  | 595          | 860-890    | CABFBC0900 | £810  |
| 1000mm | 692          | 960-990    | CABFBC1000 | £890  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 760mm  | 735-750    | CASPBC0760 | £400  |
| 800mm  | 775-790    | CASPBC0800 | £410  |
| 900mm  | 875-890    | CASPBC0900 | £435  |
| 1000mm | 975-990    | CASPBC1000 | £465  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings


| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILEBC                  | £95 |

# CLEAR 6 Quadrant Single Door

MATT BLACK



900mm Quadrant Single Door



Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 800mm | 480          | 770-785    | CAQSBC0800 | £1005 |
| 900mm | 480          | 870-885    | CAQSBC0900 | £1105 |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment        | Code       | Price |
|--------------|--------------|-------------------|------------|-------|
| 1000 x 800mm | 480          | 770-785/970-985   | CAQSBC10X8 | £1160 |
| 1200 x 800mm | 480          | 770-785/1170-1185 | CAQSBC12X8 | £1230 |
| 1200 x 900mm | 480          | 870-885/1170-1185 | CAQSBC12X9 | £1240 |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.





\*Subject to online registration

All prices include VAT at 20%



# CLEAR 6 Single Sliding Door



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 1000mm | 388          | 960-990    | CASLSC1000 | £710  |
| 1100mm | 438          | 1060-1090  | CASLSC1100 | £710  |
| 1200mm | 488          | 1160-1190  | CASLSC1200 | £745  |
| 1400mm | 588          | 1360-1390  | CASLSC1400 | £815  |
| 1500mm | 638          | 1460-1490  | CASLSC1500 | £820  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 700mm  | 675-690    | CASPSC0700 | £325  |
| 760mm  | 735-750    | CASPSC0760 | £335  |
| 800mm  | 775-790    | CASPSC0800 | £345  |
| 900mm  | 875-890    | CASPSC0900 | £365  |
| 1000mm | 975-990    | CASPSC1000 | £395  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILESC                  | £70 |

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# CLEAR 6 Hinged Door



800 x 900mm Hinged Door with Side Panel

Door Opening



800mm Hinged Door in Recess

- 1980mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20–30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Rise and fall 180° hinge built into profile
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Hinged Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 800mm | 672          | 770–790    | CAHDSC0800 | £500  |
| 900mm | 772          | 870–890    | CAHDSC0900 | £510  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 700mm  | 675–690    | CASPSC0700 | £325  |
| 760mm  | 735–750    | CASPSC0760 | £335  |
| 800mm  | 775–790    | CASPSC0800 | £345  |
| 900mm  | 875–890    | CASPSC0900 | £365  |
| 1000mm | 975–990    | CASPSC1000 | £395  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile for hinged door |     |
|-----------------------------------|-----|
| CAEXTHINGESC                      | £90 |



# CLEAR 6 Pivot Door



900 x 900mm Pivot Door with Side Panel

Door Opening



1000mm Pivot Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 760mm  | 507          | 720-760    | CAPDSC0760 | £520  |
| 800mm  | 547          | 760-790    | CAPDSC0800 | £550  |
| 900mm  | 647          | 860-890    | CAPDSC0900 | £560  |
| 1000mm | 647          | 960-990    | CAPDSC1000 | £585  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 700mm  | 675-690    | CASPSC0700 | £325  |
| 760mm  | 735-750    | CASPSC0760 | £335  |
| 800mm  | 775-790    | CASPSC0800 | £345  |
| 900mm  | 875-890    | CASPSC0900 | £365  |
| 1000mm | 975-990    | CASPSC1000 | £395  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILESC                  | £70 |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# CLEAR 6 Infold Door



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Infold Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 700mm  | 518          | 660-690    | CAIDSC0700 | £650  |
| 760mm  | 578          | 720-750    | CAIDSC0760 | £695  |
| 800mm  | 618          | 760-790    | CAIDSC0800 | £720  |
| 900mm  | 718          | 860-890    | CAIDSC0900 | £745  |
| 1000mm | 819          | 960-990    | CAIDSC1000 | £780  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 700mm  | 675-690    | CASPSC0700 | £325  |
| 760mm  | 735-750    | CASPSC0760 | £335  |
| 800mm  | 775-790    | CASPSC0800 | £345  |
| 900mm  | 875-890    | CASPSC0900 | £365  |
| 1000mm | 975-990    | CASPSC1000 | £395  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

### Extension profile - 1950 x 25mm

|                |     |
|----------------|-----|
| CAEXTPROFILESC | £70 |
|----------------|-----|

# CLEAR 6 Bi-fold Door



900 x 900mm Bi-fold with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Bi-fold Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 760mm  | 491          | 720-750    | CABFSC0760 | £610  |
| 800mm  | 491          | 760-790    | CABFSC0800 | £650  |
| 900mm  | 595          | 860-890    | CABFSC0900 | £680  |
| 1000mm | 692          | 960-990    | CABFSC1000 | £745  |

## Side Panel

| Width  | Adjustment | Code       | Price |
|--------|------------|------------|-------|
| 700mm  | 675-690    | CASPSC0700 | £325  |
| 760mm  | 735-750    | CASPSC0760 | £335  |
| 800mm  | 775-790    | CASPSC0800 | £345  |
| 900mm  | 875-890    | CASPSC0900 | £365  |
| 1000mm | 975-990    | CASPSC1000 | £395  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

## Optional Fittings

| Extension profile - 1950 x 25mm |     |
|---------------------------------|-----|
| CAEXTPROFILESC                  | £70 |


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# CLEAR 6 Quadrant Single Door



900mm Quadrant Single Door

Door Opening



1200 x 900mm Offset Quadrant Single Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 800mm | 480          | 770-785    | CAQSSC0800 | £835  |
| 900mm | 480          | 870-885    | CAQSSC0900 | £915  |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment        | Code       | Price |
|--------------|--------------|-------------------|------------|-------|
| 1000 x 800mm | 480          | 770-785/970-985   | CAQSSC10X8 | £965  |
| 1200 x 800mm | 480          | 770-785/1170-1185 | CAQSSC12X8 | £1025 |
| 1200 x 900mm | 480          | 870-885/1170-1185 | CAQSSC12X9 | £1035 |

## Recommended Tray


| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |



# CLEAR 6 Quadrant Double Doors



900mm Quadrant Double Doors



Door Opening



900mm Quadrant Double Doors

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers and secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Double Doors

| Width | Door Opening | Adjustment | Code      | Price |
|-------|--------------|------------|-----------|-------|
| 800mm | 455          | 770-785    | CAQDS0800 | £770  |
| 900mm | 555          | 870-885    | CAQDS0900 | £820  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 25mm CREO Shower Trays       | 154  |
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.









# KAI 6

Unrivalled engineering, design and outstanding value for money are the underlying characteristics of KAI 6.

Gently contoured silver anodised aluminium profiles with 6mm toughened glass offer plenty of adjustment for out of square walls.

A broad choice of door opening styles and sizes make KAI 6 ideal for smaller bathrooms where form and function are of equal importance.



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

Sliding Doors p 148

Pivot Doors p 149

Bi-fold Doors p 150

Quadrant Enclosures p 151

Corner Entry Enclosures p 153



# KAI 6

## Product Highlights

1. Seamless wall profiles with concealed fixings
2. Stylish pivot hinge and covered profile cap
3. Free running double roller system with height adjustment
4. Simple, quick-release, easy-clean quadrant rollers
5. Comfortable, modern chrome finish handle with internal grasp
6. 180° pivot door hinge
7. Smooth opening, space-saving bi-fold door option







# KAI 6 Single Sliding Door



1000 x 800mm Single Sliding Door with Side Panel

Door Opening



1000mm Single Sliding Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Sliding Door

| Width  | Door Opening | Adjustment | Code       | Price |
|--------|--------------|------------|------------|-------|
| 1000mm | 391          | 960-1000   | KLSLSC1000 | £425  |
| 1100mm | 441          | 1060-1100  | KLSLSC1100 | £435  |
| 1200mm | 491          | 1160-1200  | KLSLSC1200 | £470  |
| 1400mm | 591          | 1360-1400  | KLSLSC1400 | £495  |
| 1500mm | 591          | 1460-1500  | KLSLSC1500 | £515  |

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 760mm | 730-750    | KLSPSC0760 | £220  |
| 800mm | 770-790    | KLSPSC0800 | £235  |
| 900mm | 870-890    | KLSPSC0900 | £245  |

*The moving door must only close against a side panel*

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# KAI 6 Pivot Door



800 x 800mm Pivot Door with Side Panel

Door Opening



800mm Pivot Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Inward and outward door opening
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Pivot Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 760mm | 562          | 720-760    | KLPDSC0760 | £355  |
| 800mm | 602          | 760-800    | KLPDSC0800 | £365  |
| 900mm | 702          | 860-900    | KLPDSC0900 | £395  |

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 760mm | 730-750    | KLSPSC0760 | £220  |
| 800mm | 770-790    | KLSPSC0800 | £235  |
| 900mm | 870-890    | KLSPSC0900 | £245  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |



# KAI 6 Bi-fold Door



900 x 900mm Bi-fold Door with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Bi-fold Door

| Width | Door Opening | Adjustment | Code       | Price |
|-------|--------------|------------|------------|-------|
| 760mm | 507          | 720-760    | KLBFSC0760 | £485  |
| 800mm | 547          | 760-800    | KLBFSC0800 | £485  |
| 900mm | 647          | 860-900    | KLBFSC0900 | £510  |

## Side Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 760mm | 730-750    | KLSPSC0760 | £220  |
| 800mm | 770-790    | KLSPSC0800 | £235  |
| 900mm | 870-890    | KLSPSC0900 | £245  |

The moving door must only close against a side panel

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



# KAI 6 Quadrant Single Door



800mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Single Door

| Width | Door Opening | Adjustment      | Code       | Price |
|-------|--------------|-----------------|------------|-------|
| 800mm | 420          | 770-760/770-790 | KLQSSC0800 | £555  |
| 900mm | 472          | 870-890/870-890 | KLQSSC0900 | £595  |

## Offset Quadrant Single Door

| Width        | Door Opening | Adjustment        | Code       | Price |
|--------------|--------------|-------------------|------------|-------|
| 1000 x 800mm | 420          | 770-790/970-990   | KLQSSC10X8 | £605  |
| 1200 x 800mm | 420          | 770-790/1170-1190 | KLQSSC12X8 | £615  |
| 1200 x 900mm | 420          | 870-890/1170-1190 | KLQSSC12X9 | £645  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |

# KAI 6 Quadrant Double Doors



800mm Quadrant Double Doors

Door Opening



800mm Quadrant Double Doors

- 1900mm enclosure height
- Silver anodised aluminium finish
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Quadrant Double Doors

| Width | Door Opening | Adjustment      | Code      | Price |
|-------|--------------|-----------------|-----------|-------|
| 800mm | 401          | 770-790/770-790 | KLQDS0800 | £565  |
| 900mm | 540          | 870-890/870-890 | KLQDS0900 | £585  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

# KAI 6 Corner Entry Enclosure



900mm Corner Entry Enclosure

Door Opening



900mm Corner Entry Enclosure

- 1900mm enclosure height
- Silver anodised aluminium finish
- Sliding doors
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Corner Entry Enclosure

| Width | Door Opening | Adjustment      | Code       | Price |
|-------|--------------|-----------------|------------|-------|
| 760mm | 372          | 730-750/730-750 | KLCESC0760 | £525  |
| 800mm | 400          | 770-790/770-790 | KLCESC0800 | £555  |
| 900mm | 471          | 870-890/870-890 | KLCESC0900 | £615  |

## Recommended Tray

| Range                        | Page |
|------------------------------|------|
| 45mm Edge Waste Shower Trays | 158  |

**NEW**



# 25MM CREO Shower Trays



Engineered Stone  
Construction



Low Profile  
Shower tray



Lifetime Guarantee\*  
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.
- Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.
- Dedicated waste, with removable hair/debris filter, instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.



## Square

| Size        | Code        | Price |            |
|-------------|-------------|-------|------------|
| 800 x 800mm | CRS800X800W | £260  | <b>NEW</b> |
| 900 x 900mm | CRS900X900W | £270  | <b>NEW</b> |



## Rectangular

| Size          | Code         | Price |            |
|---------------|--------------|-------|------------|
| 760 x 1200mm  | CRR760X1200W | £290  | <b>NEW</b> |
| 760 x 1400mm  | CRR760X1400W | £470  | <b>NEW</b> |
| 800 x 1000mm  | CRR800X1000W | £270  | <b>NEW</b> |
| 800 x 1100mm  | CRR800X1100W | £285  | <b>NEW</b> |
| 800 x 1200mm  | CRR800X1200W | £300  | <b>NEW</b> |
| 800 x 1400mm  | CRR800X1400W | £470  | <b>NEW</b> |
| 800 x 1500mm  | CRR800X1500W | £485  | <b>NEW</b> |
| 800 x 1600mm  | CRR800X1600W | £495  | <b>NEW</b> |
| 800 x 1700mm  | CRR800X1700W | £510  | <b>NEW</b> |
| 900 x 1000mm  | CRR900X1000W | £270  | <b>NEW</b> |
| 900 x 1100mm  | CRR900X1100W | £285  | <b>NEW</b> |
| 900 x 1200mm  | CRR900X1200W | £310  | <b>NEW</b> |
| 900 x 1400mm  | CRR900X1400W | £470  | <b>NEW</b> |
| 900 x 1500mm* | CRR900X1500W | £485  | <b>NEW</b> |
| 900 x 1600mm* | CRR900X1600W | £495  | <b>NEW</b> |
| 900 x 1700mm* | CRR900X1700W | £510  | <b>NEW</b> |

\*Nominal height up to 29mm



## Quadrant

| Size       | Code        | Price |            |
|------------|-------------|-------|------------|
| 800mm Quad | CRQ800X800W | £260  | <b>NEW</b> |
| 900mm Quad | CRQ900X900W | £270  | <b>NEW</b> |



Right hand tray



Left hand tray

## Offset Quadrant

| Size             | Code           | Price |            |
|------------------|----------------|-------|------------|
| 800 x 1000mm (R) | CRQ800X1000RHW | £390  | <b>NEW</b> |
| 800 x 1000mm (L) | CRQ800X1000LHW | £390  | <b>NEW</b> |
| 800 x 1200mm (R) | CRQ800X1200RHW | £410  | <b>NEW</b> |
| 800 x 1200mm (L) | CRQ800X1200LHW | £410  | <b>NEW</b> |
| 900 x 1200mm (R) | CRQ900X1200RHW | £470  | <b>NEW</b> |
| 900 x 1200mm (L) | CRQ900X1200LHW | £470  | <b>NEW</b> |

## Required Waste

| Finish | Code     | Price |            |
|--------|----------|-------|------------|
|        | CRHFWS90 | £55   | <b>NEW</b> |

50mm water seal to comply to Building Regulations

## Optional Riser Leg Set

| Size            | Code            | Price |            |
|-----------------|-----------------|-------|------------|
| 8 Leg Riser Kit | TRAY25MMLEGSET8 | £45   | <b>NEW</b> |

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

\*Subject to online registration

All prices include VAT at 20%





**NEW**

# 25MM VITO Shower Trays



Engineered Stone  
Construction



Low Profile  
Shower tray



Lifetime Guarantee\*  
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible
- Flush fitting, colour match white stainless steel linear waste cover for ultimate comfort.
- Dedicated waste instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, for speedy installation.



## Square

| Size        | Code    | Price |                     |
|-------------|---------|-------|---------------------|
| 900 x 900mm | VTS900W | £311  | <a href="#">NEW</a> |



## Rectangular

| Size         | Code         | Price |                     |
|--------------|--------------|-------|---------------------|
| 760 x 1200mm | VTR760X1200W | £346  | <a href="#">NEW</a> |
| 800 x 1000mm | VTR800X1000W | £326  | <a href="#">NEW</a> |
| 800 x 1100mm | VTR800X1100W | £346  | <a href="#">NEW</a> |
| 800 x 1200mm | VTR800X1200W | £366  | <a href="#">NEW</a> |
| 800 x 1400mm | VTR800X1400W | £556  | <a href="#">NEW</a> |
| 800 x 1500mm | VTR800X1500W | £561  | <a href="#">NEW</a> |
| 800 x 1600mm | VTR800X1600W | £591  | <a href="#">NEW</a> |
| 800 x 1700mm | VTR800X1700W | £616  | <a href="#">NEW</a> |
| 900 x 1100mm | VTR900X1100W | £366  | <a href="#">NEW</a> |
| 900 x 1200mm | VTR900X1200W | £376  | <a href="#">NEW</a> |
| 900 x 1400mm | VTR900X1400W | £561  | <a href="#">NEW</a> |
| 900 x 1500mm | VTR900X1500W | £571  | <a href="#">NEW</a> |
| 900 x 1700mm | VTR900X1700W | £626  | <a href="#">NEW</a> |

## Required Waste

| Finish | Code     | Price |                     |
|--------|----------|-------|---------------------|
| White  | VTHFWS90 | £59   | <a href="#">NEW</a> |

## Optional Riser Leg Set

| Size            | Code            | Price |                     |
|-----------------|-----------------|-------|---------------------|
| 8 Leg Riser Kit | TRAY25MMLEGSET8 | £45   | <a href="#">NEW</a> |

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

\*Subject to online registration


All prices include VAT at 20%

157





Tray Profile



Waste Position





# 45MM Edge Waste Shower Trays



Made in  
Great Britain



Acrylic Capped  
Stone resin tray



Lifetime Guarantee\*  
Peace of mind

- Acrylic capped stone resin construction.
- Antibacterial, easy clean and repairable coating.
- 50mm outer flat edge.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Edge waste position - dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).
- EN14527:2006 Class 1 compliant. EN15720:2009 compliant.



## Square

| Size        | Code      | Price |
|-------------|-----------|-------|
| 760 x 760mm | SR000S760 | £160  |
| 800 x 800mm | SR000S800 | £200  |
| 900 x 900mm | SR000S900 | £230  |



## Rectangular

| Size         | Code        | Price |
|--------------|-------------|-------|
| 700 x 1200mm | SR0R7001200 | £310  |
| 760 x 1200mm | SR0R71200   | £295  |
| 800 x 1000mm | SR0R81000   | £285  |
| 800 x 1100mm | SR0R81100   | £285  |
| 800 x 1200mm | SR0R81200   | £310  |
| 800 x 1400mm | SR0R81400   | £415  |
| 800 x 1500mm | SR0R81500   | £465  |
| 800 x 1600mm | SR0R81600   | £495  |
| 900 x 1200mm | SR0R91200   | £345  |
| 900 x 1400mm | SR0R91400   | £465  |
| 900 x 1500mm | SR0R91500   | £465  |
| 900 x 1600mm | SR0R91600   | £495  |

## Optional Panel Riser Kit (inc feet)

|                             | Size              | Code       | Price |
|-----------------------------|-------------------|------------|-------|
| Rectangular panel riser kit | 900 x 1658 x 85mm | SRRP91680  | £125  |
| Quadrant panel riser kit    | 900 x 900 x 85mm  | SRRPQ900   | £145  |
| Quadrant panel riser kit    | 900 x 1200 x 85mm | SRRPQ91200 | £145  |

The riser kits incorporates specifically moulded sockets for accurate and reliable leg location. Easy fit assembly ensures completion in minutes.

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

\*Subject to online registration



## Quadrant

| Size       | Code      | Price |
|------------|-----------|-------|
| 800mm Quad | SR000Q800 | £230  |
| 900mm Quad | SR000Q900 | £240  |



Right hand tray



Left hand tray

## Offset Quadrant

| Size             | Code       | Price |
|------------------|------------|-------|
| 800 x 1000mm (R) | SRQ81000RH | £310  |
| 800 x 1000mm (L) | SRQ81000LH | £310  |
| 800 x 1200mm (R) | SRQ81200RH | £335  |
| 800 x 1200mm (L) | SRQ81200LH | £335  |
| 900 x 1200mm (R) | SRQ91200RH | £400  |
| 900 x 1200mm (L) | SRQ91200LH | £400  |




## Required High Flow Waste

| Colour                         | Code        | Price          |
|--------------------------------|-------------|----------------|
| Chrome                         | STHFW6190   | £39            |
| Matt Black                     | STHFW6190MB | £50            |
| Brushed Brass                  | STHFW6190F  | £65            |
| Brushed Stainless Steel Effect | STHFW6190V  | £60            |
| Brushed Bronze                 | STHFW6190BZ | £65 <b>NEW</b> |
| Slate                          | STHFW6190T  | £65 <b>NEW</b> |





Tray Profile



Anti-Slip Surface Test



# 35MM Anti Slip Acrylic Shower Trays



Acrylic  
Shower tray



Lifetime Guarantee\*  
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- Anti-slip surface is integrated directly into the shower tray and conform to BS7976-2. Market leading DIN51097 class C anti-slip rating.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



## Walk In

| Size         | Panel Pack | Code      | Price |
|--------------|------------|-----------|-------|
| 800 x 1700mm | B          | GPWK81700 | £449  |
| 900 x 1400mm | B          | GPWK91400 | £369  |



Central waste



Corner waste

## Rectangular

| Size         | Waste   | Panel Pack | Code      | Price |
|--------------|---------|------------|-----------|-------|
| 700 x 1600mm | Central | B          | GP0R71600 | £395  |
| 700 x 1700mm | Central | B          | GP0R71700 | £409  |
| 760 x 1700mm | Central | B          | GP0R76170 | £419  |
| 800 x 1200mm | Central | B          | GP0R81200 | £345  |
| 800 x 1400mm | Central | B          | GP0R81400 | £365  |
| 800 x 1500mm | Central | B          | GP0R81500 | £385  |
| 800 x 1600mm | Central | B          | GP0R81600 | £399  |
| 800 x 1800mm | Central | -          | GP0R81800 | £669  |
| 900 x 1200mm | Central | B          | GP0R91200 | £349  |
| 900 x 1500mm | Central | B          | GP0R91500 | £389  |
| 900 x 1700mm | Central | B          | GP0R91700 | £475  |
| 900 x 1800mm | Central | -          | GP0R91800 | £679  |



## Required High Flow Waste

| Colour                         | Code        | Price          |
|--------------------------------|-------------|----------------|
| Chrome                         | STHFW6190   | £39            |
| Matt Black                     | STHFW6190MB | £50            |
| Brushed Brass                  | STHFW6190F  | £65            |
| Brushed Stainless Steel Effect | STHFW6190V  | £60            |
| Brushed Bronze                 | STHFW6190BZ | £65 <b>NEW</b> |
| Slate                          | STHFW6190T  | £65 <b>NEW</b> |


## Optional Panel Riser Kit (inc feet)

| Pack | Code      | Price | Pack | Code      | Price |
|------|-----------|-------|------|-----------|-------|
| A    | ZP1 + ZL1 | £128  | G    | ZP4 + ZL5 | £118  |
| B    | ZP2 + ZL2 | £158  | H    | ZP1 + ZL4 | £128  |
| D    | ZP4 + ZL4 | £108  | J    | ZP5 + ZL4 | £138  |
| E    | ZP5 + ZL3 | £148  |      |           |       |





Tray Profile





# 35MM Acrylic Shower Trays



Acrylic  
Shower tray



Lifetime Guarantee\*  
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



## Square

| Size        | Panel Pack | Code      | Price |
|-------------|------------|-----------|-------|
| 700 x 700mm | H          | ST000S700 | £135  |
| 800 x 800mm | H          | ST000S800 | £145  |
| 900 x 900mm | H          | ST000S900 | £165  |



## Walk In

| Size         | Panel Pack | Code      | Price |
|--------------|------------|-----------|-------|
| 800 x 1700mm | B          | STWK81700 | £369  |



Central waste



Corner waste

## Rectangular

| Size         | Waste   | Panel Pack | Code       | Price |
|--------------|---------|------------|------------|-------|
| 700 x 1500mm | Central | B          | ST0R70X150 | £305  |
| 700 x 1700mm | Central | B          | ST0R71700  | £349  |
| 760 x 1200mm | Central | B          | ST0R71200  | £249  |
| 800 x 1200mm | Central | B          | ST0R81200  | £255  |
| 800 x 1400mm | Central | B          | ST0R81400  | £295  |
| 800 x 1500mm | Central | B          | ST0R81500  | £315  |
| 800 x 1800mm | Central | -          | ST0R81800  | £355  |
| 900 x 1200mm | Central | B          | ST0R91200  | £259  |
| 900 x 1500mm | Central | B          | ST0R91500  | £325  |
| 800 x 900mm  | Corner  | H          | ST00R8900  | £169  |
| 800 x 1000mm | Corner  | A          | ST0R81000  | £185  |
| 900 x 1000mm | Corner  | A          | ST0R91000  | £199  |
| 900 x 1100mm | Corner  | B          | ST0R91100  | £239  |

## Optional Panel Riser Kit (inc feet)

| Pack | Code      | Price | Pack | Code      | Price |
|------|-----------|-------|------|-----------|-------|
| A    | ZP1 + ZL1 | £128  | G    | ZP4 + ZL5 | £118  |
| B    | ZP2 + ZL2 | £158  | H    | ZP1 + ZL4 | £128  |
| D    | ZP4 + ZL4 | £108  | J    | ZP5 + ZL4 | £138  |
| E    | ZP5 + ZL3 | £148  |      |           |       |



## Rectangular Double Waste

| Size          | Code       | Price |
|---------------|------------|-------|
| 800 x 2000mm  | ST0R82000  | £449  |
| 900 x 2000mm  | ST0R92000  | £455  |
| 1000 x 2000mm | ST0R102000 | £679  |



## Pentagon

| Size          | Panel Pack | Code      | Price |
|---------------|------------|-----------|-------|
| 900 x 900mm   | C          | ST000P900 | £185  |
| 1000 x 1000mm | C          | ST0P1000  | £305  |



## Quadrant

| Size       | Panel Pack | Code      | Price |
|------------|------------|-----------|-------|
| 900mm Quad | D          | ST000Q900 | £165  |



## Required High Flow Waste

| Colour                         | Code        | Price          |
|--------------------------------|-------------|----------------|
| Chrome                         | STHFW6190   | £39            |
| Matt Black                     | STHFW6190MB | £50            |
| Brushed Brass                  | STHFW6190F  | £65            |
| Brushed Stainless Steel Effect | STHFW6190V  | £60            |
| Brushed Bronze                 | STHFW6190BZ | £65 <b>NEW</b> |
| Slate                          | STHFW6190T  | £65 <b>NEW</b> |



# OPTIX 10 Single with Inline Panel

BRUSHED BRONZE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed bronze PVD finish
- 15mm width adjustment for easy fitting



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean




**Lifetime Guarantee\***  
Peace of mind


## 90° Single with Inline Panel

| Width       | Adjustment | Code         | Price           |
|-------------|------------|--------------|-----------------|
| 900mm Left  | 900-915    | OXBDBZC0900L | £790 <b>NEW</b> |
| 900mm Right | 900-915    | OXBDBZC0900R | £790 <b>NEW</b> |

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




## 180° Single with Inline Panel

| Width       | Adjustment | Code          | Price            |
|-------------|------------|---------------|------------------|
| 900mm Left  | 900-915    | OXBDHBZC0900L | £1060 <b>NEW</b> |
| 900mm Right | 900-915    | OXBDHBZC0900R | £1060 <b>NEW</b> |

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



# OPTIX 10 Single with Inline Panel

SLATE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Slate PVD finish
- 15mm width adjustment for easy fitting



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean




**Lifetime Guarantee\***  
Peace of mind


## 90° Single with Inline Panel

| Width       | Adjustment | Code         | Price           |
|-------------|------------|--------------|-----------------|
| 900mm Left  | 900-915    | OXB DTC0900L | £790 <b>NEW</b> |
| 900mm Right | 900-915    | OXB DTC0900R | £790 <b>NEW</b> |

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




## 180° Single with Inline Panel

| Width       | Adjustment | Code          | Price            |
|-------------|------------|---------------|------------------|
| 900mm Left  | 900-915    | OXB DHTC0900L | £1060 <b>NEW</b> |
| 900mm Right | 900-915    | OXB DHTC0900R | £1060 <b>NEW</b> |

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



# OPTIX 10 Single with Inline Panel

BRUSHED BRASS



900mm Right Handed Single with Inline Panel



900mm right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed brass PVD finish
- 15mm width adjustment for easy fitting



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean




**Lifetime Guarantee\***  
Peace of mind


## 90° Single with Inline Panel

| Width       | Adjustment | Code        | Price |
|-------------|------------|-------------|-------|
| 900mm Left  | 900-915    | OXBDFC0900L | £790  |
| 900mm Right | 900-915    | OXBDFC0900R | £790  |

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




## 180° Single with Inline Panel

| Width       | Adjustment | Code         | Price |
|-------------|------------|--------------|-------|
| 900mm Left  | 900-915    | OXBDHFC0900L | £1060 |
| 900mm Right | 900-915    | OXBDHFC0900R | £1060 |

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening





# OPTIX 10 Single with Inline Panel

BRUSHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## 90° Single with Inline Panel


| Width       | Adjustment | Code        | Price |
|-------------|------------|-------------|-------|
| 900mm Left  | 900-915    | OXBDVC0900L | £790  |
| 900mm Right | 900-915    | OXBDVC0900R | £790  |

*We recommend the bath ledge is flat and a minimum of 70mm width.*



## 180° Single with Inline Panel

| Width       | Adjustment | Code         | Price |
|-------------|------------|--------------|-------|
| 900mm Left  | 900-915    | OXBDHVC0900L | £1060 |
| 900mm Right | 900-915    | OXBDHVC0900R | £1060 |


*We recommend the bath ledge is flat and a minimum of 70mm width.*



Door Opening



Door Opening



# OPTIX 10 Single with Inline Panel

POLISHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Polished 304 stainless steel finish
- 15mm width adjustment for easy fitting



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean




**Lifetime Guarantee\***  
Peace of mind


## 90° Single with Inline Panel

| Width       | Adjustment | Code        | Price |
|-------------|------------|-------------|-------|
| 900mm Left  | 900-915    | OXBDSC0900L | £700  |
| 900mm Right | 900-915    | OXBDSC0900R | £700  |

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




## 180° Single with Inline Panel

| Width       | Adjustment | Code         | Price |
|-------------|------------|--------------|-------|
| 900mm Left  | 900-915    | OXBDHSC0900L | £855  |
| 900mm Right | 900-915    | OXBDHSC0900R | £855  |

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening





# SVELTE 8 Single with Inline Panel



900mm Single with Inline Panel

Door Opening



900mm Single with Inline Panel

- 1500mm screen height
- Polished stainless steel finish
- Reversible door for left or right hand entry
- 90° hinge rotation, outward opening
- Flush fit hinge for easier cleaning



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

| Single with Inline Panel |            |           |       |
|--------------------------|------------|-----------|-------|
| Width                    | Adjustment | Code      | Price |
| 900mm                    | 900-915mm  | SBSSC0900 | £560  |



# INFINITY 8 Single Hinged Panel



900mm Single Panel

Door Opening



900mm Single Panel

- 1385mm screen height
- Polished stainless steel finish
- Reversible door for left or right hand entry
- 90° hinge rotation, outward opening



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Panel

| Width | Adjustment | Code      | Price |
|-------|------------|-----------|-------|
| 900mm | 885-900mm  | IBSSC0900 | £445  |

# INFINITY 8 Double Panel Fully Folding



1060mm Double Panel Fully Folding - 180° Inward and Outward Hinge

Door Opening



1060mm Double Panel Fully Folding

- 1500mm screen height
- Polished stainless steel finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards
- Flush fit hinge for easy cleaning



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Double Panel

| Width  | Adjustment  | Code        | Price |
|--------|-------------|-------------|-------|
| 1060mm | 1060-1075mm | IWBDSC1060+ | £640  |

## DESIGN 8 Single Panel



850mm Single Panel in Matt Black

Door Opening



850mm Single Panel in Silver

- 1500mm screen height
- Matt black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Rise and fall pivot hinge
- Concealed profile



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Single Panel

| Finish     | Width | Adjustment | Code      | Price |
|------------|-------|------------|-----------|-------|
| Matt Black | 850mm | 850-870mm  | PBSBC0850 | £415  |
| Silver     | 850mm | 850-870mm  | DBSSC0850 | £325  |

# DESIGN 8 Double Panel



1060mm Double Panel in Matt Black

Door Opening



1060mm Double Panel in Silver

- 1500mm screen height
- Matt black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 270°, outward opening
- Rise and fall pivot hinge
- Concealed profile



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

| Double Panel |        |             |            |       |
|--------------|--------|-------------|------------|-------|
| Finish       | Width  | Adjustment  | Code       | Price |
| Matt Black   | 1060mm | 1060–1080mm | PBDBC1060  | £615  |
| Silver       | 1060mm | 1060–1080mm | DBDSC1060+ | £475  |

† Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.



# DESIGN 8 Double Panel Fully Folding



1060mm Double Panel Fully Folding in Matt Black

Door Opening



1060mm Double Panel Fully Folding in Silver

- 1500mm screen height
- Matt black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel 90° hinge rotation, outward opening
- Screen folds away flat to the wall
- Concealed profile



**Toughened Glass†**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Double Panel Fully Folding

| Finish     | Width  | Adjustment  | Code       | Price |
|------------|--------|-------------|------------|-------|
| Matt Black | 1060mm | 1060-1080mm | PBVBC1060  | £835  |
| Silver     | 1060mm | 1060-1080mm | DBVSC1060+ | £635  |

† Moving door is 6mm toughened glass, the second panel is 8mm toughened glass.

\*Subject to online registration

## CLEAR 6 Fixed Single Panel



900mm Fixed Single Panel in Matt Black



900mm Fixed Single Panel in Silver

- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible panel for left or right hand entry
- Concealed profile



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

### Single Panel

| Finish     | Width | Adjustment | Code       | Price |
|------------|-------|------------|------------|-------|
| Matt Black | 900mm | 900-920mm  | CABSBC0900 | £400  |
| Silver     | 900mm | 900-920mm  | CABSSC0900 | £335  |

# CLEAR 6 Single Panel



800mm Single Panel in Matt Black

Door Opening



800mm Single Panel in Silver



- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 180° hinge rotation
- Rise and fall hinge
- Concealed profile



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Panel

| Finish     | Width | Adjustment | Code       | Price |
|------------|-------|------------|------------|-------|
| Matt Black | 800mm | 800-820mm  | CABSBC0800 | £420  |
| Silver     | 800mm | 800-820mm  | CABSSC0800 | £350  |

# CLEAR 6 Double Panel



1150mm Double Panel

Door Opening



1150mm Double Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 180°, opening inwards and outwards
- Concealed profile
- Complete with fixed panel bracing bar



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Double Panel

| Finish | Width  | Adjustment  | Code       | Price |
|--------|--------|-------------|------------|-------|
| Silver | 1150mm | 1150-1170mm | CABDSC1150 | £435  |



# CLEAR 6 Double Panel Fully Folding



1150mm Double Panel Fully Folding

Door Opening



- 1500mm screen height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards
- Concealed profile
- Complete with fixed panel bracing bar



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind


## Single Panel

| Finish        | Width  | Adjustment  | Code        | Price           |
|---------------|--------|-------------|-------------|-----------------|
| Brushed Brass | 1150mm | 1150-1170mm | CADBSFC1150 | £595 <b>NEW</b> |

# KAI 6 Single Panel



900mm Single Panel



Door Opening



900mm Single Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Concealed profile



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Panel

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 900mm | 880–900mm  | KLBSSC0900 | £255  |

# KAI 6 Single Hinged Panel



875mm Single Hinged Panel

Door Opening



875mm Single Hinged Panel

- 1380mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 90° hinge rotation, outwards
- Concealed profile



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Single Hinged Panel


| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 700mm | 694–714mm  | KLBSSC0650 | £255  |
| 875mm | 854–874mm  | KLBSSC0875 | £265  |



# KAI 6 Four Panel Fully Folding



800mm Right Handed Four Panel Fully Folding



Door Opening



800mm Right Handed Four Panel Fully Folding

- 1502mm screen height
- Silver anodised aluminium finish
- Folds away to 230mm width



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Four Panel Fully Folding

| Width            | Adjustment | Code         | Price |
|------------------|------------|--------------|-------|
| 800mm Left Hand  | 805-820mm  | KLFBSSC0800L | £365  |
| 800mm Right Hand | 805-820mm  | KLFBSSC0800R | £365  |



# KAI 6 Bath Guard



210mm Bath Guard

- 1280mm screen height
- Silver anodised aluminium finish
- Reversible panel for left or right hand entry



**Toughened Glass**  
Strong and safe



**Protective Finish**  
Easy to clean



**Lifetime Guarantee\***  
Peace of mind

## Bath Guard

| Width | Adjustment | Code       | Price |
|-------|------------|------------|-------|
| 210mm | 205–225mm  | KLBSSC0210 | £160  |
| 350mm | 345–365mm  | KLBSSC0350 | £200  |

# BATH Wastes

Which waste you need will depend on your bath. Please check the compatibility to ensure you select the correct waste for your bath. If you are unsure please talk to your installer, retailer or visit [crosswater.co.uk](https://crosswater.co.uk)



## Bath Click Click Waste

| Finish               | Code      | Price |
|----------------------|-----------|-------|
| Chrome               | BTW0202C  | £89   |
| Matt Black           | PRO0202M  | £155  |
| Brushed Brass        | BTW0204F  | £145  |
| Brushed Steel Effect | PRO0202V+ | £155  |
| Brushed Bronze       | BTW0204BZ | £139  |
| Slate                | BTW0204T  | £139  |



## Bath Filler with Click Click Waste

| Finish               | Code      | Price |
|----------------------|-----------|-------|
| Chrome               | PRO0351C  | £265  |
| Matt Black           | PRO0355M  | £419  |
| Brushed Brass        | BFW0370F  | £419  |
| Brushed Steel Effect | PRO0355V+ | £419  |
| Brushed Bronze       | BFW0370BZ | £419  |
| Brushed Steel Effect | BFW0370T  | £419  |



## Solutions for every bathroom

We offer bath click click wastes to suit a variety of baths. To see our full range please visit [crosswater.co.uk](https://crosswater.co.uk)

## Wastes for Stone baths



## Click Click Bath Waste (unslotted)

| Finish      | Code      | Price |
|-------------|-----------|-------|
| Chrome      | CW2CW     | £65   |
| Stone Gloss | CW2NCSCW  | £115  |
| Stone Matt  | CW2NCSCMW | £105  |

Compatible with our Stone baths only



## P Trap

| Finish | Code  | Price |
|--------|-------|-------|
| Chrome | CW3CW | £85   |

Compatible with our Stone baths only



## Special Waste Pack

| Finish | Code   | Price |
|--------|--------|-------|
| Chrome | CW11CW | £325  |

For baths without a pre-drilled overflow (inc. click click waste)



## Seamless style

We offer wastes that match the finish of our stone baths, allowing you to pair any colour brassware with your bath.

# MPRO Freestanding Bath



MPRO Petite Bath



- Available in gloss or matt finish
- Available in two sizes
- Supplied with overflow undrilled
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps



Stone  
Construction



10 Year Guarantee\*  
Peace of mind

## MPRO Grande Bath

| Size                     | Finish | Weight empty | Displaced capacity | Code     | Price |
|--------------------------|--------|--------------|--------------------|----------|-------|
| L: 1690 W: 800 H: 570 mm | Gloss  | 84 kg        | 277 litres         | N2ACSCW  | £2940 |
| L: 1690 W: 800 H: 570 mm | Matt   | 84 kg        | 277 litres         | N2ACSMCW | £3145 |

## MPRO Petite Bath

| Size                     | Finish | Weight empty | Displaced capacity | Code     | Price |
|--------------------------|--------|--------------|--------------------|----------|-------|
| L: 1500 W: 800 H: 570 mm | Gloss  | 76 kg        | 218 litres         | N1ACSCW  | £2785 |
| L: 1500 W: 800 H: 570 mm | Matt   | 76 kg        | 218 litres         | N1ACSMCW | £3045 |

## Compatible Wastes

| Part                               | Finish      | Code      | Price |
|------------------------------------|-------------|-----------|-------|
| Click clack bath waste (unslotted) | Chrome      | CW2CW     | £65   |
| Click clack bath waste (unslotted) | Stone Gloss | CW2NCSCW  | £115  |
| Click clack bath waste (unslotted) | Stone Matt  | CW2NCSMCW | £105  |
| P trap                             | Chrome      | CW3CW     | £85   |
| Special waste pack                 | Chrome      | CW11CW    | £325  |

If using underfloor heating please take care not to put the heating pipes/matt underneath the bath area. The bath should not sit on a heated floor.

\*Subject to online registration

All prices include VAT at 20%



# ARTIST Back to Wall Bath



Artist Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow undrilled, template is provided with bath
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with bath overflow fillers, rim mounted fittings or panel valves. The bath will require drilling to fit a bath filler or bath click clack waste.



Stone  
Construction



10 Year Guarantee\*  
Peace of mind

## Artist Grande Bath

| Size                     | Weight empty | Displaced capacity | Code    | Price |
|--------------------------|--------------|--------------------|---------|-------|
| L: 1690 W: 800 H: 550 mm | 88.5 kg      | 204 litres         | N3BCSCW | £2940 |

Tap ledge width 100mm

## Artist Petite Bath

| Size                     | Weight empty | Displaced capacity | Code    | Price |
|--------------------------|--------------|--------------------|---------|-------|
| L: 1524 W: 800 H: 550 mm | 85 kg        | 167 litres         | N3ACSCW | £2480 |

Tap ledge width 100mm

## Compatible Wastes

| Part                               | Finish                    | Code      | Price |
|------------------------------------|---------------------------|-----------|-------|
| Click clack bath waste (unslotted) | Chrome                    | CW2CW     | £65   |
| Click clack bath waste (unslotted) | Stone                     | CW2NCSCW  | £115  |
| P trap                             | Chrome                    | CW3CW     | £85   |
| Special waste pack                 | Chrome                    | CW11CW    | £325  |
| Bath click clack waste             | Matt Black                | PRO0202M  | £155  |
| Bath click clack waste             | Brushed Brass             | BTW0204F  | £145  |
| Bath click clack waste             | Brushed Steel Effect      | PRO0202V+ | £155  |
| Bath click clack waste             | Carbon Black              | PRI0202M  | £155  |
| Bath click clack waste             | Unlacquered Brushed Brass | PRI0202UB | £149  |

## Compatible Bath Filler with Waste

| Finish               | Code      | Price |
|----------------------|-----------|-------|
| Chrome               | PRO0351C  | £265  |
| Matt Black           | PRO0355M  | £419  |
| Brushed Steel Effect | PRO0355V+ | £419  |
| Brushed Brass*       | BFW0370F  | £419  |

\* Requires extension kit BFW0364



# SERENE Back to Wall Bath



Serene Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Baths are made from 3mm reinforced Lucite™ acrylic inner and encapsulated base board
- Bath surrounds are a bright white gelcoat with GRP reinforcement
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic  
Construction10 Year Guarantee\*  
Peace of mind

## Serene Freestanding Bath

| Size                     | Weight empty | Displaced capacity | Code          | Price |
|--------------------------|--------------|--------------------|---------------|-------|
| L: 1700 W: 750 H: 625 mm | 32 kg        | 131 litres         | M4NCW & M4BCW | £1235 |

Please order both codes above if bath surround is required

## Compatible Wastes

| Range                              | Page |
|------------------------------------|------|
| Bath Click Click Waste             | 184  |
| Bath Filler with Click Click Waste | 184  |

# KAI S Single Ended Bath



Kai S Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic  
Construction



10 Year Guarantee\*  
Peace of mind

## Kai S Single Ended Bath

| Size                     | Weight empty | Displaced capacity | Code         | Price |
|--------------------------|--------------|--------------------|--------------|-------|
| L: 1700 W: 700 H: 415 mm | 23.75 kg     | 108 litres         | <b>R5CW</b>  | £445  |
| L: 1700 W: 750 H: 415 mm | 24.75 kg     | 123 litres         | <b>R6CW</b>  | £480  |
| L: 1700 W: 800 H: 415 mm | 27.5 kg      | 137 litres         | <b>R42CW</b> | £545  |
| L: 1800 W: 800 H: 415 mm | 28.25 kg     | 148 litres         | <b>R7CW</b>  | £555  |

Bath ledge is undrilled, supplied with height adjustable legs

## Front Bath Panel

| Size                    | Code          | Price |
|-------------------------|---------------|-------|
| L: 1700 W: 40 H: 540 mm | <b>R25FCW</b> | £215  |
| L: 1800 W: 40 H: 540 mm | <b>R26FCW</b> | £225  |

## End Bath Panel

| Size                   | Code          | Price |
|------------------------|---------------|-------|
| L: 700 W: 40 H: 540 mm | <b>R27ECW</b> | £105  |
| L: 750 W: 40 H: 540 mm | <b>R28ECW</b> | £115  |
| L: 800 W: 40 H: 540 mm | <b>R29ECW</b> | £125  |

## Compatible Wastes

| Range                              | Page |
|------------------------------------|------|
| Bath Click Click Waste             | 184  |
| Bath Filler with Click Click Waste | 184  |

## Compatible Bath Screens

| Range      | Page |
|------------|------|
| Optix 10   | 164  |
| Svelte 8   | 170  |
| Infinity 8 | 171  |
| Design 8   | 173  |
| Clear 6    | 176  |
| Kai 6      | 179  |

## Optional Fittings

| Standard chrome bath grips 220 x 20 x 40mm |     |
|--------------------------------------------|-----|
| R37CW                                      | £30 |

Before arranging your choice of deck mounted bath filler you should check the available top ledge available after tiling.

# FLOW Single Ended Bath



Flow Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic  
Construction10 Year Guarantee\*  
Peace of mind

## Flow Single Ended Bath

| Size                     | Weight empty | Displaced capacity | Code         | Price |
|--------------------------|--------------|--------------------|--------------|-------|
| L: 1700 W: 700 H: 370 mm | 23.25 kg     | 77 litres          | <b>R13CW</b> | £450  |
| L: 1700 W: 750 H: 370 mm | 24.5 kg      | 82 litres          | <b>R52CW</b> | £480  |
| L: 1700 W: 800 H: 370 mm | 27 kg        | 104 litres         | <b>R44CW</b> | £545  |
| L: 1800 W: 750 H: 370 mm | 27.25 kg     | 98 litres          | <b>R14CW</b> | £595  |

## Front Bath Panel

| Size                    | Code          | Price |
|-------------------------|---------------|-------|
| L: 1700 W: 40 H: 540 mm | <b>R25FCW</b> | £215  |
| L: 1800 W: 40 H: 540 mm | <b>R26FCW</b> | £225  |

## End Bath Panel

| Size                   | Code          | Price |
|------------------------|---------------|-------|
| L: 700 W: 40 H: 540 mm | <b>R27ECW</b> | £105  |
| L: 750 W: 40 H: 540 mm | <b>R28ECW</b> | £115  |
| L: 800 W: 40 H: 540 mm | <b>R29ECW</b> | £125  |

## Compatible Wastes

| Range                              | Page |
|------------------------------------|------|
| Bath Click Click Waste             | 184  |
| Bath Filler with Click Click Waste | 184  |

## Compatible Bath Screens

| Range      | Page |
|------------|------|
| Optix 10   | 164  |
| Svelte 8   | 170  |
| Infinity 8 | 171  |
| Design 8   | 173  |
| Clear 6    | 176  |
| Kai 6      | 179  |

## Optional Fittings

| Standard chrome bath grips 220 x 20 x 40mm |     |
|--------------------------------------------|-----|
| R37CW                                      | £30 |

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

\*Subject to online registration

All prices include VAT at 20% 189



# KAI X Double Ended Bath



Kai X Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic  
Construction



10 Year Guarantee\*  
Peace of mind

## Kai X Double Ended Bath

| Size                     | Weight empty | Displaced capacity | Code        | Price |
|--------------------------|--------------|--------------------|-------------|-------|
| L: 1700 W: 700 H: 415 mm | 23.75 kg     | 91 litres          | <b>R1CW</b> | £495  |
| L: 1700 W: 750 H: 415 mm | 24.75 kg     | 108 litres         | <b>R2CW</b> | £515  |
| L: 1800 W: 800 H: 415 mm | 28.25 kg     | 145 litres         | <b>R3CW</b> | £575  |

Bath ledge is undrilled, supplied with height adjustable legs

## Front Bath Panel

| Size                    | Code          | Price |
|-------------------------|---------------|-------|
| L: 1700 W: 40 H: 540 mm | <b>R25FCW</b> | £215  |
| L: 1800 W: 40 H: 540 mm | <b>R26FCW</b> | £225  |

## End Bath Panel

| Size                   | Code          | Price |
|------------------------|---------------|-------|
| L: 700 W: 40 H: 540 mm | <b>R27ECW</b> | £105  |
| L: 750 W: 40 H: 540 mm | <b>R28ECW</b> | £115  |
| L: 800 W: 40 H: 540 mm | <b>R29ECW</b> | £125  |

## Compatible Wastes

| Range                              | Page |
|------------------------------------|------|
| Bath Click Click Waste             | 184  |
| Bath Filler with Click Click Waste | 184  |

## Optional Fittings

Standard chrome bath grips 220 x 20 x 40mm

|       |     |
|-------|-----|
| R37CW | £30 |
|-------|-----|

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.



# VERGE Double Ended Bath



Verge Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic  
Construction10 Year Guarantee\*  
Peace of mind

## Verge Double Ended Bath

| Size                     | Weight empty | Displaced capacity | Code         | Price |
|--------------------------|--------------|--------------------|--------------|-------|
| L: 1700 W: 700 H: 415 mm | 23.75 kg     | 95 litres          | <b>R8CW</b>  | £495  |
| L: 1700 W: 750 H: 415 mm | 24.75 kg     | 110 litres         | <b>R9CW</b>  | £525  |
| L: 1700 W: 800 H: 415 mm | 27.5 kg      | 113 litres         | <b>R43CW</b> | £575  |
| L: 1800 W: 750 H: 415 mm | 25 kg        | 119 litres         | <b>R46CW</b> | £605  |
| L: 1800 W: 800 H: 415 mm | 26.75 kg     | 138 litres         | <b>R10CW</b> | £615  |

## Front Bath Panel

| Size                    | Code          | Price |
|-------------------------|---------------|-------|
| L: 1700 W: 40 H: 540 mm | <b>R25FCW</b> | £215  |
| L: 1800 W: 40 H: 540 mm | <b>R26FCW</b> | £225  |

## End Bath Panel

| Size                   | Code          | Price |
|------------------------|---------------|-------|
| L: 700 W: 40 H: 540 mm | <b>R27ECW</b> | £105  |
| L: 750 W: 40 H: 540 mm | <b>R28ECW</b> | £115  |
| L: 800 W: 40 H: 540 mm | <b>R29ECW</b> | £125  |

## Compatible Wastes

| Range                              | Page |
|------------------------------------|------|
| Bath Click Click Waste             | 184  |
| Bath Filler with Click Click Waste | 184  |

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

\*Subject to online registration

All prices include VAT at 20%



# Product Guidelines

## Product Compatibility

While the majority of Crosswater products are compatible, please take care when selecting products before ordering to avoid installation issues.

Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors or frames are fitted.

Dimensions are designed for tiled in trays, not unfitted tray sizes.

All doors and enclosures must be fitted to a tiled surface, not tiled up to the inside edge of the door.

Enclosures must not be completely sealed on the inside.

Due to the weight of the shower doors, you must ensure that the walls to which they are fixed are of suitable construction to support the enclosure.

Due to the nature of wetroom/walk in panel products, water integrity cannot be guaranteed. Please consult your installer.

All heights printed for shower doors and bath screens are from the top of the shower tray or bath.

## Installation

Products must be installed according to our installation instructions, please visit [www.crosswater.co.uk](http://www.crosswater.co.uk) for full details.

## Cleaning

To maintain the look and performance of your Crosswater shower enclosure, you should:

- Remove any residual water after every use.
- Wipe clean the frame and glass elements with a soft, non-abrasive, colourfast cloth after every use.
- Never use an abrasive cloth or scouring pad which could damage the product.
- Clean the glass gently with warm soapy water and never use any aggressive fluids or strong household cleaning agents which could damage the product.
- Not allow limescale to build-up on any element, particularly in harder water areas.

## Quality

All Crosswater showering products are CE / UKCA marked and are manufactured to the following standards:



- BS EN 14428:2015 + A1:2018 for shower enclosures.
- BS EN 12150 for toughened glass.
- BS EN 14527 for shower trays.

## Clear 6 Patents

To provide the very best performing and safest shower doors using the latest materials technology several European patents have been approved for Clear 6. Details of these if required can be applied for by calling our technical department.

# Lifetime Guarantee

The Crosswater Lifetime guarantee is subject to online registration and represents the perceived lifetime of the product, which is 25 years.

To register and activate your guarantee or for full details of all Crosswater guarantees, please visit [www.crosswater.co.uk](http://www.crosswater.co.uk)

Shower doors and bath screens, excluding display installs:

- Glass breaks within 6 months of installation product replaced and costs for refitting are reimbursed by Crosswater
- Glass breaks within 6-24 months of installation product is replaced but no fitting costs reimbursed
- Glass breaks 24+ months of installation a 10% discount against a replacement product
- General wear and tear to any of the above items would be considered a specific exclusion

**Crosswater guarantees do not affect your statutory rights.**

For further advice visit [www.crosswater.co.uk](http://www.crosswater.co.uk)



## Find a local bathroom specialist at [www.crosswater.co.uk](http://www.crosswater.co.uk)

### Expertise, design & aftercare

Specialist bathroom retailers can offer expert assistance with your bathroom design, providing full 3D plans to help you visualise and create your own perfect bathroom space. Once your bathroom is installed, they can offer a personal point of contact for any after sales support you may need, delivering complete peace of mind.

### Experience the products

The purchase process is an emotional one. Specialist showrooms allow you to touch and feel a wide variety of bathroom products in relaxed surroundings while gaining inspiration from knowledgeable professionals who will explain the benefits of each product and make recommendations that match your personal preferences.

crosswater<sup>®</sup>



crosswater<sup>x</sup>

Lake View House, Rennie Drive, Dartford, Kent DA1 5FU

[crosswater.co.uk](https://crosswater.co.uk)



Part of the Bathroom Brands Group

