



# impey

TRADE WETROOM ESSENTIALS AND PRICING GUIDE | APRIL 2025



## Contents

Why choose a wetroom?	2
A perfect wetroom in four simple steps	4
Wetroom Floor Formers	6
Tiled and Vinyl Drainage	10
Waterproofing	12
Underfloor Heating	14
Wetroom Screens	16
Specifications	20
Contact us	31

## Why choose a wetroom?

Wetrooms add luxury, style and visual appeal to a home, and provide the perfect showering space even in the smallest areas. They create a sense of space, dedicated to luxury and relaxation plus practical level access to the showering area.

Wetrooms can be easily installed anywhere, from a ground floor space to a loft conversion, and their walk-in or walk-through design makes them accessible to everyone. They're easy to clean and maintain, and with Impey WaterGuard your walls and floors are 100% watertight with a lifetime guarantee.

The perfect leak-free, risk-free solution, for any location.







## **Impey. The UK's market-leading wetroom brand.**

As a dedicated wetroom manufacturer, our focus at Impey is on technical excellence and unbeatable product quality. Creating practical and innovative solutions for every possible situation.

Part of the Coram Group

# A perfect wetroom in four simple steps

As the UK's leading wetroom manufacturer we pride ourselves on simple, beautiful solutions born through decades of innovation and product refinement. This has resulted in a wetroom system that is the easiest and quickest to install.

Begin by following these four simple steps:

## Step 1. Floor Former

First select the floor former that's right for the situation. There are a range of 7 solutions to choose from in the Impey range.

## Step 2. Waterproofing


We've made creating a perfect waterproof and leak-free environment simple with our WaterGuard technology, designed and tested for use on both floors and walls.

## Step 3. Underfloor Heating

A highly recommended finishing touch to add real comfort to your wetroom. Aqua-Mat is a highly efficient underfloor heating system fitted under the tiles.

## Step 4. Wetroom Screens

Complete your wetroom with a stylish glass wetroom panel. Wetroom panels help restrict water escaping the showering area.







# Wetroom Floor Formers

Aqua-Dec floor formers are made to the highest level of care and detail - through streamlined manufacturing process and cutting edge technology - we ensure all products are of unparalleled quality and performance.

## Aqua-Dec EasyFit™

The UK's most popular specified and strongest wetroom floor former available. Made for use with wooden floors with joists and concrete floors.

## Aqua-Grade™ and Aqua-Grade Linear™

The quick and easy way to create the perfect gradient for new pour concrete floors.

## Aqua-Dec Linear 1™

NEW! Floor former featuring one gradient down to the drain, producing a sleek and modern look.

## Aqua-Dec Linear 2™


Features two gradients to assist flow to the linear drain. The Aqua-Dec Linear 2 is the perfect solution for corner or alcove settings, with no need for diagonal cuts in the tiles.

## Aqua-Dec Linear 3™

3 way uniformed fall featuring an 800mm drain with all sizes. The Aqua-Dec Linear 3 can be fitted not only in corner and alcove settings but also in a walk-through environment.

## Aqua-Dec Linear 4™

Features four gradients to assist flow to the linear drain. The Aqua-Dec Linear 4 offers a unique appearance and is incredibly versatile. The Linear 4 can be fitted in a corner, alcove or walk-through setting.



## Aqua-Dec EasyFit™

Patented rotating drain plate to avoid all underfloor obstructions

The Aqua-Dec EasyFit floor former is an extremely strong 22mm thick SMC floorboard replacement with four pre-formed drainage gradients to provide a level-access wetroom floor suitable for tiling or vinyl. The Aqua-Dec EasyFit floor former can be trimmed anywhere up to the solid surround with a standard handsaw and features an underside cellular structure. The underside spoke pattern also provides increased rigidity to the structure of the floor former.

### Key Features of Aqua-Dec EasyFit



4 gradients leading to the drain

4 diagonal tile cuts

125mm or 127mm square drain, depending on drain top design


The most versatile floor former, suited to all showering situations

360° drain positioning


Trimmable

22mm thick

Made in the UK




TRIMMABLE



Full Technical and Product support available, please call 01460 256080





## Aqua-Grade™

Create the perfect tiled wetroom drainage gradient for new pour solid floors

The Aqua-Grade modular wetroom system enables you to build the perfect wetroom drainage on any concrete floor, whatever its specific requirements. Colour coded modular sections click together to form any size of matrix - which you then simply fill with screed, reducing installation time by up to 50%.

Designed to be installed directly onto the sub-floor and is especially suited to uneven surfaces as it can be easily levelled by adjusting the individual feet to provide the perfect platform.

### Key Features of Aqua-Grade



Colour coded modular sections

Easily click together to form the matrix

Square drain top

Fill with screed, reducing installation time by up to 50%

Install against a wall, in a corner or in centre of the room

### Key Features of Aqua-Grade Linear



Colour coded modular sections

Easily click together to form the matrix

Drain tops available in 400mm, 600mm or 800mm

Fill with screed, reducing installation time by up to 50%

Install against a wall, in a corner, in an alcove or in centre of the room



## Aqua-Dec Linear 1™


Features one gradient to assist flow to the linear drain

With having a single fall for the water to drain, the Aqua-Dec Linear 1 wetroom floor former brings the modern look to your bathroom. Sleek design and functionality, requiring the minimal amount of grout lines and tile cuts. Integrating your showering area into your bathroom floor seamlessly. The Aqua-Dec Linear 1 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 1 is supplied with a gravity waste.

### Key Features of Aqua-Dec Linear 1



- 1 gradient leading to the drain
- No diagonal tile cuts
- 800mm linear drain tops
- Ideal for corner or open installations
- Linear drain 50mm from the wall
- 3 sizes available
- Not trimmable
- Made in the UK



## Aqua-Dec Linear 2™

Features two gradients to assist flow to the linear drain


The construction of the Aqua-Dec Linear 2 wetroom floor former means there is no need to mitre the tiles in the corners. The Aqua-Dec Linear 2 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 2 is supplied with a gravity waste.

### Key Features of Aqua-Dec Linear 2




- 2 gradients leading to the drain
- No diagonal tile cuts
- 600mm linear drain top
- Ideal for alcove installations
- Linear drain 244mm from the wall
- 4 sizes available
- Trimmable\*
- Made in the UK

\*Please refer to linear trimming guide available on the Impey website



TRIMMABLE







## Aqua-Dec Linear 3™

Features three gradients to assist flow to the linear drain

Unlike the Aqua-Dec Linear 1, 2 and 4, the Aqua-Dec Linear 3 can be cut to length within 75mm each side of the drain edge to assist with alcove spaces. Ideal for a minimal 'barely there' look with a compatible walk-through screen. The Aqua-Dec Linear 3 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 3 is supplied with a gravity waste.

### Key Features of Aqua-Dec Linear 3



3 gradients leading to the drain

2 diagonal tile cuts

800mm linear drain top

Ideal for walk-through installations


Linear drain 50mm from the wall

6 sizes available


Trimmable\*

Made in the UK

\*Please refer to linear trimming guide available on the Impey website



TRIMMABLE



## Aqua-Dec Linear 4™

Features four gradients to assist flow to the linear drain

The style of the floor former, with 4 gradients leading down to the drain, draws your eye to the Linear Drain Top and provides a real statement. The broad range of sizes, 2 drainage widths of 600mm and 800mm and balanced design makes this the most versatile Linear floor former. The Aqua-Dec Linear 4 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 4 is supplied with a gravity waste.

### Key Features of Aqua-Dec Linear 4



4 gradients leading to the drain

4 diagonal tile cuts

600 or 800mm linear drain tops

The most versatile Linear option, compatible with walk-through, walk-in, corner and alcove spaces


Linear drain 194mm from the wall

9 sizes available


Trimmable\*

Made in the UK

\*Please refer to linear trimming guide available on the Impey website



TRIMMABLE



# Tiled and Vinyl Drainage

## | Tiled Drainage options

### Gravity Tiled

#### Features:

100% WaterGuard compatible

Laser cut high grade stainless steel

Removable components for easy cleaning

Patented telescopic height adjustment technology  
(6 - 26mm or 14 - 24mm depending on drain top)

Easily handles high flow rates from power showers

50mm water seal

43mm solvent weld pipe connection

Available with horizontal or vertical outlet



## | Alternative Tiled Drainage

Drainage solutions for various wetroom spaces and installation scenarios are available to purchase. In some situations, a certain drain type will be required due to the setting it is being placed in.

Slim+ and Pumped Drainage are compatible with Aqua-Dec EasyFit and Aqua-Grade at an additional charge.

### Tiled Slim+ Drain

The Slim+ Drain is designed for when the floor structure below is restricted in depth.



#### Features:

Ideal solution when the floor structure below is restricted in depth

100% WaterGuard compatible


Patented 6-26mm height adjustment technology

Flow rate of up to 32l/min

Removable components for easy cleaning

### Tiled Pumped Drain

The Pumped Drain is the ideal solution for unbreachable floors as it evades any limitations that a floor structure may bring.



#### Features:

100% WaterGuard compatible

Patented 6-26mm height adjustment technology

The Pumped Drain must be used with a shower waste pump to discharge showering water in areas gravity drainage is not an option, and is fully compatible with Whale pumps

Removable components for easy cleaning



# Vinyl Flooring Drainage options

Gravity Drain for Vinyl flooring is available with grey or chrome cover and clamping ring. This Vinyl trap provides the same features as the standard Tiled Gravity except for the height adjustment. There is no height adjustment within this product. This product is compatible with Aqua-Dec EasyFit.

## Features:

- Removable components for easy cleaning
- Easily handles high flow rates from power showers
- 50mm water seal
- 43mm solvent weld pipe connection
- Available with horizontal or vertical outlet



Available in Horizontal and Vertical versions.

Grey or chrome cover cap available

## Vinyl Slim+ Drain

The Slim+ Drain is designed for when the floor structure below is restricted in depth.



## Features:

- Ideal solution when the floor structure below is restricted in depth
- Flow rate of up to 32l/min
- Removable components for easy cleaning
- Available with grey or chrome cover cap

## Vinyl Pumped Drain

The Pumped Drain is the ideal solution for unbreachable floors as it evades any limitations that a floor structure may bring.



## Features:

- The Pumped Drain must be used with a shower waste pump to discharge showering water in areas gravity drainage is not an option, and is fully compatible with Whale pumps
- Removable components for easy cleaning
- Available with grey or chrome cover cap

# Whale Shower Waste Pumps

Whale Shower Waste Pumps are wall mounted systems and can easily be concealed within a vanity unit, or cupboard up to 2m away from the shower drain. **Whale shower waste pumps are fully compatible with Impey's Pumped Waste.**

Both options are fully automated with shower control and have been designed to minimise suction noise at drain.



## Instant Match Premium

The choice of shower waste pump for showers with flow rates not exceeding, or regulated up to 12l/min. Whale's quietest shower drainage pump to date built on 20 years of experience with over 300,000 kits installed throughout the UK.




## Dry Deck 20

When you want a shower waste pump that can handle a bit more volume, the Dry Deck 20 is suitable for showers with a flow rate of up to 20l/min. Designed to minimise drainage suction noise by precisely matching the pump flow rate to the shower flow rate.

For support and advice on Whale Shower Waste Pumps, please contact our Technical Team.

# Waterproofing



## WATERPROOF ZONING GUIDE

### Mandatory requirement

> **Red zone coverage** - The entire wetroom floor **MUST** be tanked with WaterGuard to qualify for our lifetime guarantee.

### Recommended

> **Red and Blue zone coverage** - The entire floor and walls immediately inside the wet area and extending 600mm beyond should be tanked to stop any water ingress into walls.

### Highly recommended

> **Complete coverage** - WaterGuard tanking throughout the entire wetroom (floors and walls) will create a seamless impenetrable wetroom, providing heat and sound insulation and decoupling throughout.





# Impey WaterGuard™

Essential requirement for the wetroom


INSTALLATION VIDEO GUIDE  
SCAN BELOW TO WATCH



WaterGuard is a 1mm thick, flexible waterproofing membrane. The complete wetroom sealing solution - not just for floors but also for walls. When correctly installed across the entirety of a wetroom floor, it provides an impenetrable barrier against leaks, guaranteed for life. WaterGuard is the perfect application for waterproofing walls, tested for use on Plasterboard, Cementboard and Plyboard. WaterGuard can safely support vertical loads of 30kg/m<sup>2</sup>.

This unique system provides the ultimate watertight wetroom with its market-leading membrane design. WaterGuard is fully compatible with all Impey products and is fully compatible to use with Aqua-Mat underfloor heating. Adding WaterGuard to your wetroom gives you the peace of mind with Impey's Lifetime Watertight Guarantee.

Image shows 5m<sup>2</sup>  
WaterGuard Kit for floors



## Features:

Complete waterproof solution for floors and walls including pre-made corners

Butyl rubber backed self-adhesive sealing membrane supplied on a roll

Can tile directly after laying

Polypropylene fleece

Can be used with epoxy and solvent based sealers

Highly elastic de-coupling properties

Maximum wall load bearing 30kg/m<sup>2</sup>

Can withstand temperatures of 60°C

## Benefits:

Everything you will need to tank your wetroom, saving time and cost

A clean material which is easy to handle and very quick to apply with no curing time

Reduces installation time dramatically

Provides an excellent bond with tile adhesive

A reliable membrane to use in all situations

No need to buy an additional decoupler

Works well with heavy wall tiles


Compatible with Impey Aqua-Mat underfloor heating



Install our WaterGuard™ system with any Aqua-Dec floor former and receive our Lifetime Watertight Guarantee. For details please visit our website.



# Underfloor Heating





## Aqua-Mat™

Increased comfort and faster drying time in the wetroom

Impey's Aqua-Mat underfloor heating is the finishing touch to make the most of your wetroom. Aqua-Mat offers unrivalled warmth, exceptionally fast drying times, and complete comfort underfoot. Aqua-Mat is 100% compatible with all Impey wetroom products.



### Features:

- Strong self-adhesive mesh
- Only 4mm in depth
- 100% aluminium earth sheath
- 100% compatible with Impey floor formers
- Twin Conductor
- 12 year warranty
- Available in:
  - 100W for concrete and timber flooring
  - 150W for concrete subfloors

## Thermostats

Now with touch screen technology

### DEVIreg Touch



### Features:

- 2" Backlit touch screen
- 7 day programmable
- Simple 7 step set up wizard
- Both floor and air sensor
- Reduce energy waste by up to 12%
- 5 year warranty


### Devi Smart



### Features:

- WIFI Connectivity
- Simple and intuitive touch screen design
- Remote controllable using the DEVIsmart App
- Able to control an unlimited number of locations
- Can be paired with up to 10 mobile devices
- Variety of Smart features including frost protection, weekly schedule, holiday mode and economy mode
- Smart app features allow you to schedule your requirements, and adapt to climatic conditions, reducing your energy costs
- 5 year warranty

### Amber DT-TWO



### Features:

- Large colour touch screen front
- 7 day, 6 period programme
- Floor temperature limiting function
- Sensor offset
- Frost protection
- Holiday mode
- 2 year warranty



# Wetroom Screens



Image shows a left hand configuration.

# Soho®

The Soho wetroom screen marries high-specification functionality with on-trend aesthetics to offer a unique, design-led option for wetrooms and shower areas.

Inspired by urban industrial partitioning, the high-quality aluminium-framed screen is powder coated in jet black boasting 8mm toughened safety glass; exposed frames on the outside of the unit, and visible screws to enhance the screen's authentic appeal. As part of Impey's complete wetroom solutions portfolio, 'Soho' is available in a variety of sizes and configurations to create your perfect showering situation. A wetroom system combined with Soho offers the ideal opportunity to add style and appeal to your bathroom.

**Height: 2100mm to top of screens**

**The Soho range is designed to be installed on an Impey wetroom floor former and cannot be installed on a traditional shower tray.**















Toughened  
glass



Stay clean  
glass




Guarantee

Example applications and the required product types (right hand configurations shown)					
	Hinged		Sliding	Walk-in / Walk-through	
<b>Alcove 3 walls</b>	 • Hinged door	 • Hinged door with in-line panel	 • Sliding door	 • Horizontal panel	
<b>Corner 2 walls</b>	 • Hinged door • Side panel	 • Hinged door with in-line panel • Side panel	 • Sliding door • Side panel • Additional profile*	 • Horizontal panel	 • Vertical panel
<b>1 wall</b>	N/A	N/A	 • Sliding door • Side panels (x2) • Additional profile* (x2)	 • Horizontal panel • Additional bracing bar	 • Vertical panel • Additional bracing bar


# Premier 8 Wetroom Screen

Always seen as an impressive feature, this design draws the eye to boast an expansive room whilst also fashioning the spacious shower enclosure itself. Standing at 2000mm high, this semi-frameless design comes in a variety of widths and configurations.


Bottom chrome trim provided as standard.



Toughened glass




Stay clean glass



Guarantee




## Configurations




Single panel

A	Fixing bracket depth: 1200mm max
B	Panel size options: 700, 800, 900




Single panel with angled Bracing Bar

A	Fixing bracket depth: 1200mm max
B	Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200




Single panel with straight Bracing Bar

A	Fixing bracket depth: 1200mm max
B	Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200




Two fixed panels

A	Fixing bracket depth: 1200mm max
B + C	Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200



Two fixed panels with T-Bar\*\*\*

A	Fixing bracket depth: 1200mm max
B + C	Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200



Walk-through

A	Fixing bracket depth: 1200mm max
B	Panel size options: 1000*, 1100* and 1200*


Please note for walk-through panel sizes of 1000, 1100 or 1200 you will need an additional Bracing Bar.  
Other formats are available to suit your specific requirements. These are just a few of the possible configurations.  
\*Please note 700, 800 and 900mm Glass Screens are not sold with a Bracing Bar.  
\*\*T-Bar to be purchased separately.




# Supreme Wetroom Screen

The 8mm glass panel is supported by a floor-to-ceiling chrome column using our Tigerfix fitting. The top section of the column is telescopic, which means it can be adjusted in height from 2027mm to 2700mm. This panel can be configured as a walk-in or walk-through, to suit your needs.


TigerFix is included.



8mm



Stay clean glass



10 YEAR


Toughened glass

Guarantee




## Configurations


Walk-through\*




Single panel corner



Two panels corner\*\*



Single panel alcove



\* Requires purchase of additional pole.  
 \*\* Recommended 500mm for ease of access.



## What is TigerFix?

Included with the Column wetroom screen, TigerFix is an innovative adhesive solution that allows you to easily install Glass Screens without the need for drilling or fixing.

# Specifications

## Wetroom Floor Formers

Aqua-Dec Linear 1™	22
Aqua-Dec Linear 2™	22
Aqua-Dec Linear 3™	23
Aqua-Dec Linear 4™	23
Aqua-Dec EasyFit™	24
Aqua-Grade™	25
Aqua-Grade Linear™	25

## Drainage

Tiled Floor Drain – Gravity	26
Vinyl Floor Drain – Gravity	26
Tiled Floor Drain – Pumped	26
Tiled Floor Drain – Slim+	26

## Waterproofing


WaterGuard™ Tanking Kits	28
--------------------------	----

## Underfloor Heating

Aqua-Mat™	28
Thermostats	28

## Wetroom screens

Soho®	29
Premier 8	30
Supreme	30









# Aqua-Dec Linear™



All Aqua-Dec Linear floor formers are supplied with linear drain as shown, horizontal outlet and brushed stainless steel top.

All Aqua-Dec Linear floor formers are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

Linear drain requires a minimum 95mm clearance below the Aqua-Dec.

Vertical waste available upon request.

Element Stainless Steel drain top comes as standard.

600mm and 800mm alternative drain top options available upon request.



TRIMMABLE

Aqua-Dec Linear 2, 3 and 4 now feature trimmable properties. Speak to our Technical team to discuss more or download the Trimming Guide available on the Impey website.



High flow rates of up to 40 litres per minute depending on the room layout and the size of Aqua-Dec Linear 1, 2, 3 and 4. Under boarding required.

## Aqua-Dec Linear 1

**Note:** Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation.


Size: 1200mm x 800mm Code: AD1L1280G/H (Horizontal) AD1L1280G/V (Vertical) Price: £821.60 Exc. VAT £985.92 Inc. VAT*	Size: 1200mm x 1000mm Code: AD1L1210G/H (Horizontal) AD1L1210G/V (Vertical) Price: £842.40 Exc. VAT £1010.88 Inc. VAT*	Size: 1200mm x 1200mm Code: AD1L1212G/H (Horizontal) AD1L1212G/V (Vertical) Price: £873.60 Exc. VAT £1048.32 Inc. VAT*

NEW

NEW

NEW

## Aqua-Dec Linear 2



TRIMMABLE


Size: 900mm x 900mm Code: AD2L9090G/H (Horizontal) AD2L9090G/V (Vertical) Price: £842.92 Exc. VAT £1011.50 Inc. VAT*	Size: 1000mm x 1000mm Code: AD2L1010G/H (Horizontal) AD2L1010G/V (Vertical) Price: £872.76 Exc. VAT £1047.31 Inc. VAT*	Size: 1200mm x 900mm Code: AD2L1290G/H (Horizontal) AD2L1290G/V (Vertical) Price: £887.67 Exc. VAT £1065.20 Inc. VAT*	Size: 1400mm x 900mm Code: AD2L1490G/H (Horizontal) AD2L1490G/V (Vertical) Price: £912.66 Exc. VAT £1095.19 Inc. VAT*

**Note:** Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation.


NEW

\*VAT at 20%, correct at time of going to print.


Aqua-Dec Linear 3




Size: 1200mm x 900mm  
Max Shower Area: 1200mm x 900mm  
Code: AD3L1290G/H (Horizontal)  
AD3L1290G/V (Vertical)  
Price: £927.88 Exc. VAT  
£1113.46 Inc. VAT\*




Size: 1500mm x 800mm  
Max Shower Area: 1500mm x 800mm  
Code: AD3L1580G/H (Horizontal)  
AD3L1580G/V (Vertical)  
Price: £996.32 Exc. VAT  
£1195.58 Inc. VAT\*




Size: 1500mm x 900mm  
Max Shower Area: 1500mm x 900mm  
Code: AD3L1590G/H (Horizontal)  
AD3L1590G/V (Vertical)  
Price: £1007.41 Exc. VAT  
£1208.89 Inc. VAT\*



Size: 1800mm x 800mm  
Max Shower Area: 1800mm x 800mm  
Code: AD3L1880G/H (Horizontal)  
AD3L1880G/V (Vertical)  
Price: £1102.57 Exc. VAT  
£1323.08 Inc. VAT\*



Size: 1800mm x 900mm  
Max Shower Area: 1800mm x 900mm  
Code: AD3L1890G/H (Horizontal)  
AD3L1890G/V (Vertical)  
Price: £1128.04 Exc. VAT  
£1353.65 Inc. VAT\*




Size: 1600mm x 750mm  
Max Shower Area: 1600mm x 750mm  
Code: AD3L1675G/H (Horizontal)  
AD3L1675G/V (Vertical)  
Price: £1044.42 Exc. VAT  
£1253.30 Inc. VAT\*

**Note:** Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet.  
Please use relevant Code to select right drainage for the situation.


Aqua-Dec Linear 4




**Note:** Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation.




Size: 900mm x 900mm  
Code: AD4L9090G/H (Horizontal)  
AD4L9090G/V (Vertical)  
Price: £815.20 Exc. VAT  
£978.24 Inc. VAT\*




Size: 1000mm x 1000mm  
Code: AD4L1010G/H (Horizontal)  
AD4L1010G/V (Vertical)  
Price: £842.92 Exc. VAT  
£1011.50 Inc. VAT\*




Size: 1200mm x 900mm  
Code: AD4L1290G/H (Horizontal)  
AD4L1290G/V (Vertical)  
Price: £872.76 Exc. VAT  
£1047.31 Inc. VAT\*




Size: 1200mm x 1200mm  
Code: AD4L1212G/H (Horizontal)  
AD4L1212G/V (Vertical)  
Price: £910.055 Exc. VAT  
£1092.06 Inc. VAT\*



Size: 1400mm x 900mm  
Code: AD4L1490G/H (Horizontal)  
AD4L1490G/V (Vertical)  
Price: £901.36 Exc. VAT  
£1081.63 Inc. VAT\*




Size: 1600mm x 900mm  
Code: AD4L1690G/H (Horizontal)  
AD4L1690G/V (Vertical)  
Price: £914.62 Exc. VAT  
£1097.54 Inc. VAT\*




Size: 1800mm x 1050mm  
Code: AD4L18105G/H (Horizontal)  
AD4L18105G/V (Vertical)  
Price: £1,210.25 Exc. VAT  
£1,452.30 Inc. VAT\*

NEW



Size: 2000mm x 1000mm  
Code: AD4L2010G/H (Horizontal)  
AD4L2010G/V (Vertical)  
Price: £1258.66 Exc. VAT  
£1510.39 Inc. VAT\*

NEW



Size: 2000mm x 1200mm  
Code: AD4L2012G/H (Horizontal)  
AD4L2012G/V (Vertical)  
Price: £1301.51 Exc. VAT  
£1561.81 Inc. VAT\*


NEW

# Aqua-Dec EasyFit™

All Aqua-Dec EasyFit floor formers are supplied with brushed stainless steel grate as shown and a UTTO1/H Tiled Floor Gully horizontal outlet as standard. No under boarding required.

Alternative drainage solutions and drain top available on request.













Slot drain top supplied as standard. Tiled Insert option available on request.



22 I 

All Aqua-Dec EasyFit floor formers are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

**Note:** Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation.

 <p>Size: 800mm x 800mm Code: ADE8080G/H (Horizontal) ADE8080G/V (Vertical) Price: £541.12 Exc. VAT £649.34 Inc. VAT*</p>	 <p>Size: 900mm x 900mm Code: ADE9090G/H (Horizontal) ADE9090G/V (Vertical) Price: £585.70 Exc. VAT £702.84 Inc. VAT*</p>	 <p>Size: 1000mm x 1000mm Code: ADE1010G/H (Horizontal) ADE1010G/V (Vertical) Price: £630.25 Exc. VAT £756.30 Inc. VAT*</p>	 <p>Size: 1200mm x 750mm Code: ADE1275G/H (Horizontal) ADE1275G/V (Vertical) Price: £630.25 Exc. VAT £756.30 Inc. VAT*</p>
 <p>Size: 1200mm x 900mm Code: ADE1290G/H (Horizontal) ADE1290G/V (Vertical) Price: £654.12 Exc. VAT £784.94 Inc. VAT*</p>	 <p>Size: 1200mm x 1200mm Code: ADE1212G/H (Horizontal) ADE1212G/V (Vertical) Price: £736.13 Exc. VAT £883.36 Inc. VAT*</p>	 <p>Size: 1300mm x 800mm Code: ADE1380G/H (Horizontal) ADE1380G/V (Vertical) Price: £654.12 Exc. VAT £784.94 Inc. VAT*</p>	 <p>Size: 1400mm x 900mm Code: ADE1490G/H (Horizontal) ADE1490G/V (Vertical) Price: £676.01 Exc. VAT £811.21 Inc. VAT*</p>
 <p>Size: 1500mm x 800mm Code: ADE1580G/H (Horizontal) ADE1580G/V (Vertical) Price: £676.01 Exc. VAT £811.21 Inc. VAT*</p>	 <p>Size: 1500mm x 1200mm Code: ADE1512G/H (Horizontal) ADE1512G/V (Vertical) Price: £816.48 Exc. VAT £979.78 Inc. VAT*</p>	 <p>Size: 1700mm x 750mm Code: ADE1775G/H (Horizontal) ADE1775G/V (Vertical) Price: £816.48 Exc. VAT £979.78 Inc. VAT*</p>	 <p>Size: 1850mm x 900mm Code: ADE18590G/H (Horizontal) ADE18590G/V (Vertical) Price: £816.52 Exc. VAT £979.82 Inc. VAT*</p>

Can be installed directly onto floor joists at 415mm centres with no additional support or bedded into screeded floors.  
\*VAT at 20%, correct at time of going to print. † For joists under 415mm - centre to centre spacing.



# Aqua-Grade™ System

## Aqua-Grade




All Aqua-Grades are supplied with brushed stainless steel grate as shown and a UTT01/H Tiled Floor Gully horizontal outlet as standard.

For alternative drainage and grate options for tiled and vinyl floors see page 30.

Foot mounting plates for mounting on insulation are available (if required).  
Pack of 25

Code: SCR/IMP/25 Price: £16.81 Exc. VAT £20.17 Inc. VAT\*




Product Type	Size:	Code:	Price (Exc. VAT)	Price (Inc. VAT)
Aqua-Grade Square - One Wall - Three Falls	1500mm x 1050mm	AG150105/3F	£436.06	£523.27*
	1200mm x 900mm	AG12090/3F	£335.69	£402.83*
	1800mm x 1200mm	AG180120/3F	£563.71	£676.45*
Aqua-Grade Square - Two Walls - Two Falls	1050mm x 1050mm	AG105105/2F	£341.28	£409.54*
	1200mm x 1200mm	AG120120/2F	£385.28	£462.34*
	1350mm x 1350mm	AG135135/2F	£501.51	£601.81*
	1500mm x 1500mm	AG150150/2F	£596.04	£715.25*
Aqua-Grade Square - No Wall - Four Falls	900mm x 900mm	AG9090/4F	£277.94	£333.53*
	1200mm x 1200mm	AG120120/4F	£406.55	£487.86*
	1500mm x 1500mm	AG150150/4F	£571.53	£685.84*

## Aqua-Grade Linear

Product Type		Size:	Code:	Price (Exc. VAT)	Price (Inc. VAT)
<b>400mm Linear</b>	Two Falls	1200mm x 900mm	AG40L12090/2F	£568.93	£682.72*
		1350mm x 1050mm	AG40L135105/2F	£478.49	£574.19*
		1500mm x 1200mm	AG40L150120/2F	£562.48	£674.98*
	Three Falls	1500mm x 750mm	AG40L15075/3F	£643.16	£771.79*
		1800mm x 900mm	AG40L18090/3F	£660.17	£792.20*
	Four Falls	1200mm x 900mm	AG40L12090/4F	£557.34	£668.81*
		1500mm x 1200mm	AG40L150120/4F	£700.13	£840.16*
<b>600mm Linear</b>	One Fall	900mm x 900mm	AG60L9090/1F	£533.58	£640.30*
		1200mm x 900mm	AG60L12090/1F	£592.79	£711.35*
		1350mm x 900mm	AG60L13590/1F	£584.55	£701.46*
		1500mm x 900mm	AG60L15090/1F	£554.93	£665.92*
	Two Falls	1350mm x 750mm	AG60L13575/2F	£569.08	£682.90*
		1500mm x 900mm	AG60L15090/2F	£572.84	£687.41*
		1650mm x 1050mm	AG60L165105/2F	£718.59	£862.31*
	Three Falls	1800mm x 750mm	AG60L18075/3F	£648.72	£778.46*
	Four Falls	1500mm x 900mm	AG60L15090/4F	£632.64	£759.17*
		1800mm x 1200mm	AG60L180120/4F	£805.16	£966.19*
<b>800mm Linear</b>	One Fall	1050mm x 1050mm	AG80L105105/1F	£714.33	£857.20*
		1200mm x 1050mm	AG80L120105/1F	£664.25	£797.10*
		1350mm x 1050mm	AG80L135105/1F	£675.12	£810.14*
		1500mm x 1050mm	AG80L150105/1F	£751.37	£901.64*
	Two Falls	1500mm x 750mm	AG80L15075/2F	£730.53	£876.64*
	Three Falls	1950mm x 750mm	AG80L19575/3F	£741.43	£889.72*
	Four Falls	1650mm x 900mm	AG80L16590/4F	£669.71	£803.65*


### No Walls - Four Falls

Available as 400mm, 600mm and 800mm




### One Wall - Three Falls

Available as 400mm, 600mm and 800mm




### Two Walls - Two Falls

Available as 400mm, 600mm and 800mm



### Three Walls - One Fall

Available as 600mm and 800mm



# Drainage

## Impey Universal system

The Impey Universal Trap comprises a set of interchangeable components which are combined to make a range of drain products. The range includes both linear and wet floor drains for use in corresponding Impey floor former systems, as well as standalone linear drains for use in a concrete screeded floor.


The term 'Universal Trap' is used in reference to the trap and sump components which are shared across all drain configurations.

## Square Tiled and Circular Vinyl Drainage

All Aqua-Dec EasyFit and Aqua-Grade floor formers are supplied with a UTT01/H tiled floor gully or UTVG01/H grey vinyl floor gully with a horizontal outlet - a high quality water tray featuring a 50mm water seal and fixed 43mm outlet\*\*. A vertical outlet, or alternative drainage solutions are available on request. All drainage solutions come complete with a stainless steel drain top.


\*\*As a 1:40 fall

### Tiled Floor Drain - Gravity





Quad Gravity Drain Slot - Horizontal Outlet

Code: UTT01/H  
Price: £183.84 Exc. VAT £220.61 Inc. VAT\*




Quad Gravity Drain Slot - Vertical Outlet

Code: UTT01/V  
Price: £183.84 Exc. VAT £220.61 Inc. VAT\*




Quad Gravity Drain Tiled Insert 14mm - Horizontal Outlet

Code: QUADT14/H



Quad Gravity Drain Tiled Insert 14mm - Vertical Outlet

Code: QUADT14/V



When purchased separately as a standalone drain:

Price: £264.18 exc. VAT      Price: £317.02 inc. VAT\*

Available as an upgrade ONLY when purchasing a floor former:

Price: £75.00 exc. VAT      Price: £90.00 inc. VAT\*

When purchased separately as a standalone drain:


Price: £264.18 exc. VAT      Price: £317.02 inc. VAT\*

Available as an upgrade ONLY when purchasing a floor former:

Price: £75.00 exc. VAT      Price: £90.00 inc. VAT\*

## Alternative drainage options for tiled or vinyl floors

### Vinyl Floor Drain - Gravity




Vinyl Floor Gully - Horizontal Outlet

Code: UTVG01/H (CHROME)  
Price: £126.95 Exc. VAT £152.34 Inc. VAT\*  
Code: UTVG01/H (GREY)  
Price: £0.00 Exc. VAT £0.00 Inc. VAT\*

Vinyl Floor Gully - Vertical Outlet

Code: UTVG01/V (CHROME)  
Price: £126.95 Exc. VAT £152.34 Inc. VAT\*  
Code: UTVG01/V (GREY)  
Price: £0.00 Exc. VAT £0.00 Inc. VAT\*

### Tiled or Vinyl Floor Drain - Slim+




Tiled Drain Slim+ Horizontal Slot

Code: SLW2T01/H  
Price: £267.80 Exc. VAT £321.36 Inc. VAT\*

Vinyl Drain Slim+ Horizontal

Code: SLW2VG/H  
Price: £175.10 Exc. VAT £210.12 Inc. VAT\*

### Tiled or Vinyl Floor Drain - Pumped



Tiled Floor Gully - For Pumped Waste


Code: DSS2  
Price: £174.46 Exc. VAT £209.35 Inc. VAT\*

Vinyl Floor Gully - For Pumped Waste


Code: TAD13  
Price: £130.12 exc VAT £156.14 inc VAT\*

Whale Shower Waste Pumps

Instant Match Premium  
Code: SWP/IIMPR  
Price: £813.28 Exc. VAT   £975.94 Inc. VAT\*



Dry Deck 20  
Code: SWP/IMPR  
Price: £1,093.61 Exc. VAT   £1,312.33 Inc. VAT\*



For support and advice on Whale Shower Waste Pumps, please contact our Technical Team.

Linear Floor Drain - Gravity

All Aqua-Dec Linear and Aqua-Grade Linear come with a Gravity drain with horizontal outlet and Element Drain Top as standard. These drains feature a 50mm water seal and 43mm outlet\*.

\*\*As a 1:40 fall

Element Brushed Stainless Steel

Drains with the Element drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Element drain top is height adjustable from 6mm - 26mm, to suit varying tile depths and use with underfloor heating.

When bought separately as a standalone linear drain:		
400mm LNR40S/H or V	Price: £315.58 Exc. VAT	£378.70 Inc. VAT*
600mm LNR60S/H or V	Price: £343.42 Exc. VAT	£412.10 Inc. VAT*
800mm LNR80S/H or V	Price: £371.26Exc. VAT	£445.51 Inc. VAT*

PLEASE NOTE: Upgrade costs are fixed and therefore are non-discountable

Tiled Insert 13mm

Drains with the Tiled Insert 13mm drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Tiled Insert 13mm Drain top has a fixed height of 13mm from the floor former to the top of the tiling frame.

When purchased separately as a standalone linear drain:		
400mm LNR40T8/H or V	Price: £382.43 exc. VAT	£458.92 inc. VAT*
600mm LNR60T8/H or V	Price: £413.72 exc. VAT	£496.46 inc. VAT*
800mm LNR80T8/H or V	Price: £441.56 exc. VAT	£529.87 inc. VAT*

Available as an upgrade ONLY when purchasing a Linear floor former:		
400mm LNR40T8/H or V	Price: £24.52 exc. VAT	£29.42 inc. VAT*
600mm LNR60T8/H or V	Price: £44.40 exc. VAT	£53.28 inc. VAT*
800mm LNR80T8/H or V	Price: £53.08 exc. VAT	£63.70 inc. VAT*


Tiled Insert 24mm

Drains with the Tiled Insert 24mm drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Tiled Insert 24mm Drain top has a fixed height of 24mm from the floor former to the top of the tiling frame.

When purchased separately as a standalone linear drain:		
600mm LNR60T24/H or V	Price: £424.77 exc. VAT	£509.72 inc. VAT*
800mm LNR80T24/H or V	Price: £473.53 exc. VAT	£568.24 inc. VAT*

Available as an upgrade ONLY when purchasing a Linear floor former:		
600mm LNR60T24/H or V	Price: £76.95 exc. VAT	£92.34 inc. VAT*
800mm LNR80T24/H or V	Price: £96.48 exc. VAT	£115.78 inc. VAT*

PLEASE NOTE: Upgrade costs are fixed and therefore are non-discountable





## WaterGuard™ Tanking Kit


WaterGuard provides the complete leak-proof sealing solution - not just for floors but also to walls thanks to Impey's unique and market-leading design.

Floor Kit Contents	Product Code	Retail Price (Exc. VAT)	Retail Price (Inc. VAT)*
<b>5m' of Impey WaterGuard membrane</b> with 500ml BAL primer, 15m jointing tape, 5 x internal corners, 1 x external corner, Butyl sealant	WG5.	£341.59	£409.91
<b>10m' of Impey WaterGuard membrane</b> with 500ml BAL primer, 20m jointing tape, 5 x internal corners, 1 x external corner, Butyl sealant	WG10.	£525.96	£631.15
<b>Wall Kit Contents</b>			
<b>10m' of Impey WaterGuard wall membrane</b> with 500ml BAL primer, 10m jointing tape, Butyl sealant	WG10W.	£428.34	£514.01
<b>Floor &amp; Wall Kit Contents</b>			
<b>5m' of Impey WaterGuard floor membrane and 10m' Impey WaterGuard wall membrane</b> with 15m jointing floor tape, 10m jointing wall tape, 5 x internal corners, 1 x external corner, 2 x Butyl sealant, 2 x 500ml BAL primer	WG15WF	£750.76	£900.91
<b>10m' of Impey WaterGuard floor membrane and 10m' Impey WaterGuard wall membrane</b> with 20m jointing floor tape, 10m jointing wall tape, 5 x internal corners, 1 x external corner, 2 x Butyl sealant, 2 x 500ml BAL primer	WG20WF	£909.81	£1091.77
<b>Additional components if required</b>			
<b>10m jointing tape</b>	WGJT10	£70.60	£84.72
<b>Internal corner</b>	WGIPC	£13.00	£15.60
<b>External corner</b>	WGEPC	£13.00	£15.60
<b>Butyl sealant</b>	WGJS	£13.74	£16.49
<b>500ml BAL primer</b>	WGPR	£30.00	£36.00

INSTALLATION VIDEO GUIDE  
SCAN THE QR CODE TO WATCH



Install our WaterGuard™ system with any Aqua-Dec floor former and receive our Lifetime Watertight Guarantee. For further details please visit our website: [www.impeyshowers.com](http://www.impeyshowers.com)



## Aqua-Mat™

### Aqua-Mat 100W Size Options suitable for wooden and concrete floors

Area to be warmed m2	Heating Load Watts	Product Code	Retail Price (Exc. VAT)	Retail Price (Inc. VAT)*
1.0	100	AM1.0/V2	£97.09	£116.51
1.5	150	AM1.5/V2	£111.02	£133.22
2.0	200	AM2.0/V2	£129.17	£155.00
2.5	250	AM2.5/V2	£152.12	£182.54
3.0	300	AM3.0/V2	£170.26	£204.31
3.5	350	AM3.5/V2	£190.37	£228.44
4.0	400	AM4.0/V2	£209.57	£251.48
5.0	500	AM5.0/V2	£237.21	£284.65
6.0	600	AM6.0/V2	£271.09	£325.31
7.0	700	AM7.0/V2	£303.16	£363.79
8.0	800	AM8.0/V2	£331.64	£397.97
9.0	900	AM9.0/V2	£348.75	£418.50
10.0	1000	AM10.0/V2	£360.40	£432.48
12.0	1200	AM12.0/V2	£447.76	£537.31

### Aqua-Mat 150W Size Options suitable for concrete floors

Area to be warmed m2	Heating Load Watts	Product Code	Retail Price (Exc. VAT)	Retail Price (Inc. VAT)*
1.5	225	AM1.5/150V2	125.60	150.72
2.0	300	AM2.0/150V2	152.91	183.49
3.0	450	AM3.0/150V2	218.44	262.13
3.5	525	AM3.5/150V2	230.44	276.53
4.0	600	AM4.0/150V2	240.29	288.35
5.0	750	AM5.0/150V2	294.89	353.87
6.0	900	AM6.0/150V2	338.58	406.30
9.0	1350	AM9.0/150V2	469.64	563.57

### Thermostat

Product Code	Retail Price (Exc. VAT)	Retail Price (Inc. VAT)*
DMTBLACK	£165.02	£198.02
DMTWHITE	£165.02	£198.02
DT2	£122.76	£147.31
DVSBLACK	£226.73	£272.08
DVSWHITE	£226.73	£272.08

### WATERPROOF ZONING GUIDE

#### Mandatory requirement

> **Red zone coverage** - The entire wetroom floor **MUST** be tanked with WaterGuard to qualify for our lifetime guarantee.

#### Recommended

> **Red and Blue zone coverage** - The entire floor and walls immediately inside the wet area and extending 600mm beyond should be tanked to stop any water ingress into walls.

#### Highly recommended

> **Complete coverage** - WaterGuard tanking throughout the entire wetroom (floors and walls) will create a seamless impenetrable wetroom, providing heat and sound insulation and decoupling throughout.

\*VAT at 20%, correct at time of going to print.

# Soho® Wetroom Screen

Soho by Impey is a specialist wetroom product especially designed to be installed on our market leading wetroom floor formers.

**Note: Soho cannot be installed on a shower tray.**

## PANEL COMBINATIONS

Product Type	Size (mm)	Handing	Product Code	exc VAT	inc VAT*
Hinged door	800	Left	AH24SC01-80 LEFT	£921.13	£1105.36
	800	Right	AH24SC01-80 RIGHT	£921.13	£1105.36
	900	Left	AH24SC01-90 LEFT	£961.31	£1153.57
	900	Right	AH24SC01-90 RIGHT	£961.31	£1153.57
Hinged door with in-line panel	1200	Left	AH24SC01-120 LEFT	£1138.48	£1366.18
	1200	Right	AH24SC01-120 RIGHT	£1138.48	£1366.18
	1400	Left	AH24SC01-140 LEFT	£1196.69	£1436.03
	1400	Right	AH24SC01-140 RIGHT	£1196.69	£1436.03
Side panel	800	N/A	AH24SP02-80	£626.58	£751.91
	900	N/A	AH24SP02-90	£655.64	£786.76
Walk-in/walk-through horizontal panel	900	N/A	AW24SC01-N1-90	£746.49	£895.79
	1000	N/A	AW24SC01-N1-100	£769.19	£923.03
Walk-in/walk-through vertical panel	1200	N/A	AW24SC01-N1-120	£865.78	£1038.94
	1400	N/A	AW24SC01-N1-140	£934.65	£1121.58
Additional accessories	Additional bracing bar	N/A	AH24-BAR100	£84.77	£101.72
	Angled bracing bar kit	N/A	AH24-BA01-KIT	£48.19	£57.83
	Ceiling bracing bar	N/A	AH24-BC01-KIT	87.32	104.78
	Additional profile	N/A	AH24-SP-KIT	£26.44	£31.73
Sliding door	1200	Left	AH24SL01-120 LEFT	£970.25	£1164.30
	1200	Right	AH24SL01-120 RIGHT	£970.25	£1164.30
	1400	Left	AH24SL01-140 LEFT	£1077.49	£1292.99
	1400	Right	AH24SL01-140 RIGHT	£1077.49	£1292.99



# Premier 8 Screen



Width (mm)	Height (mm)	Adjustment per profile (mm)	Adjustment range (mm)	Retail price (exc VAT)	Retail price (inc VAT)	Product code
700	2000	20	680 - 700	£321.71	£386.05	SP70C
800	2000	20	780 - 800	£350.10	£420.12	SP80C
900	2000	20	880 - 900	£369.03	£442.84	SP90C
1000	2000	20	980 - 1000	£397.42	£476.90	SP10C
1100	2000	20	1080 - 1100	£406.87	£488.24	SP11C
1200	2000	20	1180 - 1200	£425.80	£510.96	SP12C

Add on product	Retail price (exc. VAT)	Retail price (inc. VAT)	Product code
200mm - Return Panel pack / chrome / plain glass	£169.02	£202.82	SP02C
300mm - Return Panel pack / chrome / plain glass	£214.68	£257.62	SP03C
Additional 1.2m Bracing Bar for Premier 8 range / chrome	£99.25	£119.10	SPAB
Additional T Bar chrome	£71.78	£86.14	SPTB

# Supreme Screen



Width (mm)	Height (mm)	Adjustment per profile (mm)	Adjustment range (mm)	Retail price (exc VAT)	Retail price (inc VAT)	Product code
700	2000	20	716 - 736	£529.58	£636.50	ISS70CUC.
800	2000	20	816 - 836	£529.58	£635.50	ISS80CUC.
900	2000	20	916 - 936	£529.58	£635.50	ISS90CUC.
1000	2000	20	1016 - 1036	£553.66	£664.39	ISS10CUC.
1200	2000	20	1216 - 1236	£553.66	£664.39	ISS12CUC.

Add on product	Retail price (exc. VAT)	Retail price (inc. VAT)	Product code
Additional floor to Ceiling Pole - for walk-through configuration	£159.51	£191.41	IASCT2000
Coving extension profile (for coved vinyl floor)	£56.99	£68.39	ICEP2000





## Contact Us

We have a dedicated Customer Services and Technical team who are on hand to offer a personalised solution to any queries regarding the Impey product range or installations.

Our opening hours are: 8:00am to 4:30pm Monday - Friday

Tel: 01460 256080

General enquiries or sales: [salesorders@impeyshowers.com](mailto:salesorders@impeyshowers.com)

Technical Support: [technical.support@impeyshowers.com](mailto:technical.support@impeyshowers.com)

Website: [www.impeyshowers.com](http://www.impeyshowers.com)

Head Office: Impey, Conquest House, Conquest Business Park, Cad Road, Ilton, Somerset TA19 9EA

Impey is part of Coram UK Holding Ltd



**The Coram International bathroom group**

A Dutch family-owned business with offices in the Netherlands, Belgium, United Kingdom, Poland & Norway. Exporting to more than 70 countries worldwide.



**Coram Showers:** A leading brand of shower enclosures, bath screens and shower trays with over 70 years of operation in the UK with very strong presence in plumbers merchant and bathroom retail sectors. Coram enclosures are designed to meet the highest aesthetic and functional standards expected whilst maintaining the reputation as a stylish and hassle-free range to install and maintain. Style with Standards.



**Tiger:** Founded in 1950, Tiger specialised in a manufacturing a wide range of plastic products for different applications. From bicycle handles to soap dishes. Tiger quickly became very successful in the Netherlands and in 1957 a start was made on exploring the international market. The Tiger brand grew quickly into international playing field with a wide range of bathroom accessories. The brand is recognised for it's design and innovation.

### Displays

For new or replacement wetroom display needs, please email our team via [displays@impeyshowers.com](mailto:displays@impeyshowers.com) who can offer advice and support on displaying wetrooms.

### Training Opportunities

Training available both online and in person. Visit [www.impeyshowers.com/for-installers/wet-room-installer-training](http://www.impeyshowers.com/for-installers/wet-room-installer-training) for details and to book your place.

### Quick Access

For instant navigation for Technical Datasheets, Installation Guides and Installation Videos, simply scan one of the below to be directed to the relevant webpage on our Impey website.



IMPEY TECHNICAL  
DATASHEETS



IMPEY INSTALLATION  
GUIDES



IMPEY INSTALLATION  
VIDEOS



01460 256080  
impeyshowers.com

@impeyshowers



Printed with biodegradable laminate:  
✓ protecting the environment from single use plastics  
✓ reducing negative impact on the environment.

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this document publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. Errors and Omissions Excepted.

Full terms and conditions available at [www.impeyshowers.com](http://www.impeyshowers.com)